

# Litteraturliste til temaet om Ældre med kombineret sansetab

---

Denne litteraturliste dækker den anvendte litteratur i temaet Ældre med kombineret sansetab.

## Den samlede litteraturliste

Baggesen, Kirsten (2010). AMD – aldersrelateret makuladegeneration. I Lis Just et al. (red.): *I + I = 3 – En artikelsamling*. Videnscentret for Døvblindblevne.

Bagley, Martha (1994). *Confident Living Program – Facilitator manual*. Helen Keller National Centre for Youth and Adults Who are Deaf-Blind.

Berry et al. (2008). Confident Living Program for Senior Adults Experiencing Vision and Hearing Loss. *Care Management Journals*, Vol. 9 (1).

Berry et al. (2008b). Confident Living Program for Senior Adults Experiencing Combined Vision and Hearing Loss. *Age in Action*, vol. 23 (2): 1-5.

Brennan, Mark et al. (2005). Dual Sensory Loss and Its Impact on Everyday Competence. *The Gerontologist*, vol. 45 (3): 337-346.

Brennan, Mark et al. (2006). Longitudinal associations between dual sensory impairment and everyday competence among older adults. *Journal of Rehabilitation Research and Development*, vol. 43(6): 777-792.

CFD Rådgivning (2015). *Årsrapport 2014 – Tillid, respekt og lydhørhed*. CFD Rådgivning. Tilgængelig via <http://docplayer.dk/5861560-Aarsberetning-2014-tillid-respekt-og-lydhoerhed-cfd-raadgivning-marts-2015-1.html>. [lokaliseret 07-03-2019]

Chia, Ee-Munn et al. (2006). Association Between Vision and Hearing Impairments and Their Combined Effects on Quality of Life. *Arch Ophthalmol*, vol. 124 (10): 1465-1470.

Cimarolli, Verena R. & Jopp, Daniela S. (2014). Sensory impairments and their associations with functional disability in a sample of the oldest-old. *Full Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, vol. 23 (7): 1977-1984.

Crews, John E. & Campbell, Vincent A. (2004). Vision Impairment and Hearing Loss Among Community-Dwelling Older Americans: Implications for Health and Functioning. *American Journal of Public Health*, vol. 94(5): 823-829.

Dammeyer, Jesper (2013). Characteristics of a Danish population of adults with acquired deafblindness receiving rehabilitation services. *The British Journal of Visual Impairment*, vol. 31(3): 189-197.

Dammeyer, Jesper (2014). Deafblindness – A review of the literature. *Scandinavian Journal of Public Health*, vol. 42: 554-562.

Edberg, P. O. et al. (2008). *Allvarlig kombination av hörsel- och synnedsättning hos personer över 65 år*. Arvsfonden. Tilgængelig via <https://www.mogard.se/produkt/allvarlig-kombination-av-horsel-och->

[synnedsattning-hos-personer-65-ar-klicka-har-att-se-storre-bild-av-allvarlig-kombination-av-horsel-och-synnedsattning-hos-personer-65-ar/#iLightbox\[/\]](#) [lokaliseret 07-03-2019].

Fischer, Diana et al. (2014). Impairments in Hearing and Vision Impact on Mortality in Older People - The AGES-Reykjavik Study. *Age Ageing*, vol. 43 (1): 69-76.

Gopinath, Bamini et al. (2013). Dual Sensory Impairment in Older Adults Increases the Risk of Mortality - A Population-Based Study. *PloS ONE*, vol. 8 (3).

Gullacksen, Ann-Christine et al. (2011). *Livsomstilling ved kombineret syns- og hørenedsættelse/døvblindhed – et indre arbejde over tid*. Nordens Velfærdscenter. Tilgængelig via [https://nordicwelfare.org/wp-content/uploads/2012/02/SNED\\_dansk\\_web.pdf](https://nordicwelfare.org/wp-content/uploads/2012/02/SNED_dansk_web.pdf) [lokaliseret 07-03-2019].

Harada, Sei et al. (2008). Gender difference in the relationships between vision and hearing impairments and negative well-being. *Preventive Medicine: An International Journal Devoted to Practice and Theory*, vol. 47 (4): 433-437.

Heine, Chyrisse & Browning, Colette J. (2014). Mental health and dual sensory loss in older adults: A systematic review. *Frontiers in Aging Neuroscience*, vol. 6.

Heine, Chyrisse & Browning, Colette (2015). Dual Sensory Loss in Older Adults: A Systematic Review. *The Gerontologist*, pp. 1-16.

Kiely, Kim M. et al. (2013). Dual Sensory Loss and Depression: the Importance of Hearing Loss, Adls and Social Engagement, *The Gerontologist*, vol. 53: 591-591.

Kjærbøl, Erik & Vesterager, Vibeke (2010). Høreapparater. I Lis Just et al. (red.): *1 + 1 = 3 - En artikelsamling*, Videnscentret for Døvblindblevne. Tilgængelig via <https://socialstyrelsen.dk/udgivelser/1-1-3> [lokaliseret 07-03-2019].

Klaver, Caroline C. W. et al. (1998). Age-Specific Prevalence and Causes of Blindness and Visual Impairment in an Older Population The Rotterdam. *Archives of Ophthalmology*, vol. 116 (5): 653-658.

Larsen, Flemming Ask & Damen, Saskia (2014). Definitions of deafblindness and congenital deafblindness. *Research in Developmental Disabilities*, vol. 35: 2568-2576.

Larsen, Karen & Christoffersen, Mette (2010). Kompenserende hjælpemidler. I Lis Just et al. (red.): *1 + 1 = 3 - En artikelsamling*, Videnscentret for Døvblindblevne. Tilgængelig via <https://socialstyrelsen.dk/udgivelser/1-1-3> [lokaliseret 07-03-2019].

Lin, Michael Y. et al. (2004). Vision impairment and combined vision and hearing impairment predict cognitive and functional decline in older women. *Journal of the American Geriatrics Society*, vol. 52(12): 1996-2002.

Lyng, Kolbein & Svingen, Else Marie (2001). *Kartlegging av alvorlig, kombinert sansetap hos eldre – evaluering av sjekkliste basert screeningsmetodikk*. NOVA Rapport 9/01.

Marker, Jette (2010). Optiske hjælpemidler. I Lis Just et al. (red.): *1 + 1 = 3 - En artikelsamling*. Videnscentret for Døvblindblevne. Tilgængelig via <https://socialstyrelsen.dk/udgivelser/1-1-3> [lokaliseret 07-03-2019].

- McDonnall, Michele Capella (2009). Risk factors for depression among older adults with dual sensory loss. *Aging & Mental Health*, vol. 13 (4): 569-576.
- Mortensen, Ole (2009). Fokus på dobbelt sansetab ved forebyggende hjemmebesøg. *Sygeplejersken* 1/2009. Tilgængelig via <https://dsr.dk/sygeplejersken/arkiv/sy-nr-2009-1> [lokaliseret 07-03-2019].
- Mortensen, Ole E. & Møller, Bettina U. (2011). Når syn og hørelse svigter samtidigt!. *VOS*, 2/2011. Tilgængelig via <https://ojenforeningen.dk/artikler/nar-syn-horelse-svigter-samtidigt> [lokaliseret 07-03-2019].
- Möller, Claes (2010). Får alle hørenedsættelse på deres gamle dage? Om aldersrelateret hørenedsættelse. I Lis Just et al. (red.): *1 + 1 = 3 - En artikelsamling*. Videnscentret for Døvblindblevne. Tilgængelig via <https://socialstyrelsen.dk/udgivelser/1-1-3> [lokaliseret 07-03-2019].
- Nordens Velfærdscenter (2009). *Nordisk vejleder om erhvervet døvblindhed*. Nordens Velfærdscenter. Tilgængelig via <https://nordicwelfare.org/wp-content/uploads/2017/10/vejlederdbb.pdf> [lokaliseret 07-03-2019].
- Nordens Velfærdscenter (2013). *Et godt ældre liv med kombineret sansetab*. Nordens Velfærdscenter. Tilgængelig via [http://nvc.brandfactory.se/Files/sv-SE/8984/RelatedFiles/192689\\_Ett%20gott%20aldreliv%20med%20komb.pdf](http://nvc.brandfactory.se/Files/sv-SE/8984/RelatedFiles/192689_Ett%20gott%20aldreliv%20med%20komb.pdf) [lokaliseret 07-03-2019].
- Roets-Merken, Lieve M. et al. (2014). Screening for hearing, visual and sensory impairment in older adults using behavioural cues: A validation study. *International Journal of Nursing Studies*, vol. 51(11): 1434-1440.
- Saunders, Gabrielle H. & Echt, Katharina V. (2007). An Overview of Dual Sensory Impairment in Older Adults: Perspectives for Rehabilitation. *Dual Sensory Loss in Middle and Late Adulthood, Trends in Amplification*, vol. 11(4).
- Schneck, Marilyn E. et al. (2011). Association between hearing and vision impairments in older adults. *Ophthalmic & Physiological Optics*, vol. 32(1): 45-52.
- Schneider, Julie (2011). Dual sensory impairment in older age. *Journal of aging and health*, vol. 23 (8): 1309-1324.
- Schneider, Julie (2012). Prevalence and 5-Year Incidence of Dual Sensory Impairment in an Older Australian Population. *Annals of Epidemiology*, 22 (4): 295-301.
- Schneider, Julie M. et al. (2014). Dual sensory impairment and hearing aid use among clients attending low-vision services in Australia: The vision-hearing project. *Journal of Aging and Health*, vol. 26(2): 231-249.
- Schneider, Julie M. et al. (2014). Improving access to hearing services for people with low vision: piloting a "hearing screening and education model" of intervention. *Ear and hearing*, vol. 35(4):153-161.
- Servicestyrelsen (2011). *Når syn og hørelse svigter*, 3. udgave. Videncenter for Handicap og Socialpsykiatri, Servicestyrelsen.
- Servicestyrelsen (2011). *God kommunikation med ældre med syns- og/eller hørenedsættelse*, 3. udgave, Videncenter for Handicap og Socialpsykiatri, Servicestyrelsen & Videncenter på Ældreområdet, Professionshøjskolen Metropol.
- SFI (2008). *Handicap og samfundsdeltagelse 2006*. SFI – Det Nationale Forskningscenter for Velfærd.

Socialstyrelsen (2011). *Ældre og Synshandicap – Hyppige øjensygdomme, behandlings- og rådgivningsmuligheder*. Socialstyrelsen.

Socialstyrelsen (2015). *Spørgeguide – et enkelt opsporingsværktøj*. Socialstyrelsen.

Swann, Julie (2008). *Dual sensory loss: the effect of the care home environment*. *Nursing & Residential Care*, vol. 10(5).

Swann, Julie (2008). Understanding visual and auditory loss. *Nursing & Residential Care*, vol. 10(4).

Swenor, Bonnielin K. et al. (2013). *The prevalence of concurrent hearing and vision impairment in the United States*. *JAMA Internal Medicine*, vol 173 (4): 312-313.

Tay, Tien et al. (2006). Sensory and cognitive association in older persons: Findings from an older Australian population. *Gerontology*, vol. 52: 386-394.

Valentijn, Susanne A. M. et al. (2005). Change in sensory functioning predicts change in cognitive functioning: Results from a 6-year follow-up in the Maastricht Aging Study. *Journal of the American Geriatrics Society*, vol. 53 (3): 374-380.

Van Eyken, Els et al. (2007). The complexity of age-related hearing impairment: Contributing environmental and genetic factors. *Audiology and Neurotology*, vol. 12: 345-358.

Videnscentret for Døvblindblevne (2006). *Det er ikke så svært*, revidering af rapport fra 1998. Videnscentret for Døvblindblevne.

Videnscentret for Døvblindblevne (2010). *1+1=3 en artikelsamling om ældre med kombineret høre- og synsnedsættelse*. Videnscentret for Døvblindblevne.

Videnscentret for Døvblindblevne (2010). *Kombineret høre- og synsnedsættelse hos ældre*. I Lis Just et al. (red.): *1 + 1 = 3 - En artikelsamling*. Videnscentret for Døvblindblevne.

Videnscentret for Døvblindblevne (2013). *1+1=3 en artikelsamling om kombineret høre- og synsnedsættelse*. Videnscentret for Døvblindblevne.

Viljanen, Anne et al. (2014). Dual sensory loss and social participation in older Europeans. *European Journal of Ageing*, vol. 11 (2): 155-167.

Vreeken, Hilde et al. (2014). Dual sensory loss: A major age-related increase of comorbid hearing loss and hearing aid ownership in visually impaired adults. *Geriatrics & Gerontology International*, vol. 14 (3): 570-576.

Wahl, Hans-Werner et al. (2013). Severe vision and hearing impairment and successful aging: A multidimensional view. *The Gerontologist*, vol. 53 (6): 950-962.

Wittich, Walter et al. (2013). What's in a name: Dual Sensory impairment or deafblindness. *The British Journal of Visual Impairment*, vol. 31(3): 198-207.

Wittich, Walter et al. (2015). Usability of assistive listening devices by older adults with low vision. *Disability and Rehabilitation: Assistive Technology, Early Online* 1-8.

Yamada, Yukari (2014). Prevalence and Correlates of Hearing and Visual Impairments in European Nursing Homes: Results From the SHELTER Study. *Journal of the American Medical Directors Association*, vol. 15 (10): 738-743.