



Socialstyrelsen

**Litteraturliste til temaet
Børn og unge med
cerebral parese**

marts 2020

Viden til gavn

Publikationen er udgivet af
Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf: 72 42 37 00
E-mail: info@socialstyrelsen.dk
www.socialstyrelsen.dk

Udgivet 3. marts 2020

Litteraturliste til temaet Børn og unge med cerebral parese

Baggrund for søgning

Søgningen er foretaget juli-december 2014. Temaet er efterfølgende opdateret ultimo 2019-primo 2020. Litteraturen, der hører til opdateringen, findes sidst i dette dokument.

Litteraturliste ved temaets udarbejdelse i 2014

- Alaee, N. et al (2015). Psychosocial challenges for parents of children with cerebral palsy: A qualitative study. *Journal of Child and Family Studies*, Vol. 24 (7): 2147-2154.
- Andrade, P. M. O. et al (2012). Content identification of the interdisciplinary assessment of cerebral palsy using the international classification of functioning, disability and health as reference. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34 (21): 1790-1801.
- Andrade, P. M. O. et al (2012). An ICF-based approach for cerebral palsy from a biopsychosocial perspective. *Developmental Neurorehabilitation*, Vol. 15(6): 391-400.
- Badia, M. et al (2013). The influence of participation in leisure activities on quality of life in spanish children and adolescents with cerebral palsy. *Research in Developmental Disabilities*, Vol. 34(9): 2864-2871.
- Baiter, M. R. R., & Dupas, G. (2013). Experiences from families of children with cerebral paralysis in context of social vulnerability. *Revista Latino-Americana De Enfermagem*, Vol. 21(4): 956-963.
- Blacher, J. et al. (2013). Syndrome specificity and mother-child interactions: Examining positive and negative parenting across contexts and time. *Journal of Autism and Developmental Disorders*, Vol. 43(4): 761-774.
- Blank, R. et al (2008). Conductive education for children with cerebral palsy: Effects on hand motor functions relevant to activities of daily living. *Archives of Physical Medicine and Rehabilitation*, Vol. 89 (2): 251-259.
- Broberg, M. et al (2012). Measuring responsive style in parents who use AAC with their children: Development and evaluation of a new instrument. *AAC: Augmentative and Alternative Communication*, Vol. 28 (4): 243-253.
- Brown, F. L. et al (2014). Improving child and parenting outcomes following paediatric acquired brain injury: A randomised controlled trial of stepping stones triple P plus acceptance and commitment therapy. *Journal of Child Psychology and Psychiatry*, Vol. 55(10): 1172-1183.
- Bult, M. K. (2013). Predicting leisure participation of school-aged children with cerebral palsy: Longitudinal evidence of child, family and environmental factors. *Child: Care, Health and Development*, Vol. 39(3): 374-380.
- Bunning, K. et al (2013). Investigation of practices to support the complex communication needs of children with hearing impairment and cerebral palsy in a rural district of Kenya: A case series. *International Journal of Language & Communication Disorders*, Vol. 48 (6): 689-702.
- Burgess, S. et al (2013). Exploring the in-session reflective capacity of clinical psychology trainees: An interpersonal process recall study. *Clinical Psychologist*, Vol. 17 (3): 122-130.

- Burt, S. A. et al (2013). Maternal warmth and directiveness jointly moderate the etiology of childhood conduct problems. *Journal of Child Psychology and Psychiatry*, Vol. 54(10): 1030-1037.
- Capelovitch, S. (2014). Neurodevelopmental therapy: A popular approach. *Developmental Medicine & Child Neurology*, Vol. 56 (4): 402.
- Chen, K. et al (2014). Determinants of quality of life in children with cerebral palsy: A comprehensive biopsychosocial approach. *Research in Developmental Disabilities*, Vol. 35 (2): 520-528.
- Chronis-Tuscano, A. et al (2008). Associations between maternal attention-Deficit/Hyperactivity disorder symptoms and parenting. *Journal of Abnormal Child Psychology*, Vol. 36 (8): 1237-1250.
- Coard, S. I. et al (2007). Considering culturally relevant parenting practices in intervention development and adaptation. A randomized controlled trial of the black parenting strengths and strategies (BPSS) program. *Counseling Psychologist*, Vol. 35 (6): 797-820.
- Costigan, A. F. & Light, J. (2011). Functional seating for school-age children with cerebral palsy: An evidence-based tutorial. *Language, Speech, and Hearing Services in Schools*, Vol. 42 (2): 223-236.
- Critchfield, K. L., & Benjamin, L. S. (2010). Assessment of repeated relational patterns for individual cases using the SASB-based intrex questionnaire. *Journal of Personality Assessment*, Vol. 92 (6): 480-489.
- Cusick, A. et al (2007). Adapting the canadian occupational performance measure for use in a paediatric clinical trial. *Disability and Rehabilitation: An International Multidisciplinary Journal*, Vol. 29 (10): 761-766.
- Darrah, J. et al (2012). Are family-centred principles, functional goal setting and transition planning evident in therapy services for children with cerebral palsy? *Child: Care, Health and Development*, Vol. 38 (1): 41-47.
- de Brito Brandão, Marina et al (2012). Functional impact of constraint therapy and bimanual training in children with cerebral palsy: A randomized controlled trial. *American Journal of Occupational Therapy*, Vol. 66 (6): 672-681.
- Dekkers, K. J. et al (2014). Upper extremity strength measurement for children with cerebral palsy: A systematic review of available instruments. *Physical Therapy*, Vol. 94 (5): 609-622.
- Di Pietro, N. C. et al (2013). Treatments for neurodevelopmental disorders: Evidence, advocacy, and the internet. *Journal of Autism and Developmental Disorders*, Vol. 43 (1): 122-133.
- Dirks, T. & Hadders-Algra, M. (2011). The role of the family in intervention of infants at high risk of cerebral palsy: A systematic analysis. *Developmental Medicine & Child Neurology*, Vol. 53 (Suppl 4): 62-67.
- Elizur, Y. et al (2007). A gender-moderated model of family relationships and adolescent adjustment. *Journal of Clinical Child and Adolescent Psychology*, Vol. 36 (3): 430-441.
- Escobar, M. J. et al (2014). Behavior problems and attachment in adopted and non-adopted adolescents. *Children and Youth Services Review*, Vol. 42 (7): 59-66.

- Evans, T. et al (2014). Are parenting interventions effective in improving the relationship between mothers and their preterm infants? *Infant Behavior & Development*, Vol. 37 (2): 131-154.
- Farc, M. M. et al (2008). Hostility ratings by parents at risk for child abuse: Impact of chronic and temporary schema activation. *Child Abuse & Neglect*, Vol. 32 (2): 177-193.
- Ferm, U. et al (2005). Conversational topics between a child with complex communication needs and her caregiver at mealtime. *AAC: Augmentative and Alternative Communication*, Vol. 21 (1): 19-40.
- Franki, I. et al (2014). A clinical decision framework for the identification of main problems and treatment goals for ambulant children with bilateral spastic cerebral palsy. *Research in Developmental Disabilities*, Vol. 35 (5): 1160-1176.
- Garth, B. et al (2009). Perceptions of participation: Child patients with a disability in the doctor-parent-child partnership. *Patient Education and Counseling*, Vol. 74(1): 45-52.
- Gates, P. E. et al (2012). Randomized controlled trial assessing participation and quality of life in a supported speed treadmill training exercise program vs. a strengthening program for children with cerebral palsy. *Journal of Pediatric Rehabilitation Medicine*, Vol. 5(2): 75-88.
- Gilmore, R. et al (2010). Upper limb activity measures for 5- to 16- year-old children with congenital hemiplegia: A systematic review. *Developmental Medicine & Child Neurology*, Vol. 52(1): 14-21
- Gordon, A. B. et al (2011). Modified goal attainment scale outcomes for ambulatory children: With and without orthopedic surgery. *Gait & Posture*, Vol. 33(1): 77-82.
- Guerette, P. et al (2013). The positive effects of early powered mobility on children's psychosocial and play skills. *Assistive Technology: The Official Journal of RESNA*, Vol. 25(1): 39-48.
- Gulmans, J. et al (2010). A web-based communication system for integrated care in cerebral palsy: Design features, technical feasibility and usability. *Journal of Telemedicine and Telecare*, Vol. 16(7): 389-393.
- Hall, H. R. et al (2012). Parental stress in families of children with a genetic disorder/disability and the resiliency model of family stress, adjustment, and adaptation. *Issues in Comprehensive Pediatric Nursing*, Vol. 35(1): 24-44.
- Halvarsson, S. et al (2010). From authority to coach - parents' experiences of stretching as a home programme for children with cerebral palsy. *Advances in Physiotherapy*, Vol. 12(4): 208-216.
- Hane, A. A., & Fox, N. A. (2006). Ordinary variations in maternal caregiving influence human infants' stress reactivity. *Psychological Science*, Vol. 17(6): 550-556.
- Hane, A. A., & Fox, N. A. (2007). Ordinary variations in maternal caregiving influence human infants' stress reactivity": Erratum. *Psychological Science*, Vol. 18(7): 656.
- Hartman, C.A. et al (2013). Self- or parent report of (co- occurring) internalizing and externalizing problems, and basal or reactivity measures of HPA-axis functioning: A systematic evaluation of the internalizing-hyperresponsivity versus externalizing-hyporesponsivity HPA-axis hypothesis. *Biological Psychology*, Vol. 94(1): 175-184.
- Heathcock, J. (2011). Assessment of bilateral function in children with upper extremity dysfunction. *Developmental Medicine & Child Neurology*, Vol. 53(5): 393.

- Hemsley, B. (2013). Review of cerebral palsy: From diagnosis to adult life. *Journal of Intellectual and Developmental Disability*, Vol. 38(3): 274-275.
- Hidecker, M. J. C. et al (2011). Developing and validating the communication function classification system for individuals with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(8): 704-710.
- Higginson, J., & Matthewson, M. (2014). Working therapeutically with parents after the diagnosis of a child's cerebral palsy: Issues and practice guidelines. *Australian Journal of Rehabilitation Counselling*, Vol. 20(1): 50-66.
- Hines, M. et al (2011). Communication and AAC in the lives of adults with autism: The stories of their older parents. *AAC: Augmentative and Alternative Communication*, Vol. 27(4): 256-266.
- Huang, C. et al (2013). Determinants of school activity performance in children with cerebral palsy: A multidimensional approach using the ICF-CY as a framework. *Research in Developmental Disabilities*, Vol. 34(11): 4025-4033.
- Hunt, K. A., & Franck, L. S. (2011). Special needs require special attention: A pilot project implementing the paediatric pain profile for children with profound neurological impairment in an in-patient setting following surgery. *Journal of Child Health Care*, Vol. 15(3): 210-220.
- Jeglinsky, I. et al (2014). How are actual needs recognized in the content and goals of written rehabilitation plans? *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 36(6): 441-451.
- Kang, L. J. et al (2010). Determinants of social participation: With friends and others who are not family members: For youths with cerebral palsy. *Physical Therapy*, Vol. 90(12): 1743-1757.
- Katz, L. F., & Windecker-Nelson, B. (2004). Parental meta-emotion philosophy in families with conduct-problem children: Links with peer relations. *Journal of Abnormal Child Psychology*, Vol. 32(4): 385-398.
- Ketelaar, M. et al (2010). LEARN 2 MOVE 2-3: A randomized controlled trial on the efficacy of child-focused intervention and context-focused intervention in preschool children with cerebral palsy. *BMC Pediatrics*, (10): 80.
- Kimonis, E. R., & Armstrong, K. (2012). Adapting parent-child interaction therapy to treat severe conduct problems with callous-unemotional traits: A case study. *Clinical Case Studies*, Vol. 11(3): 234-252.
- Kimonis, E. R et al (2014). Parent training outcomes among young children with callous-unemotional conduct problems with or at risk for developmental delay. *Journal of Child and Family Studies*, Vol. 23(2): 437-448.
- Kirkpatrick, E. V. et al. (2013). Motor planning ability is not related to lesion side or functional manual ability in children with hemiplegic cerebral palsy. *Experimental Brain Research*, Vol. 231(2): 239-247.
- Knox, V., & Menzies, S. (2005). Using the measure of processes of care to assess parents' views of a paediatric therapy service. *The British Journal of Occupational Therapy*, Vol. 68(3): 110-116.
- Kolehmainen, N. (2014). Neurodevelopmental treatment. *The British Journal of Occupational Therapy*, Vol. 77(1): 23.
- Krakovsky, G. et al. (2007). Functional changes in children, adolescents, and young adults with cerebral palsy. *Research in Developmental Disabilities*, Vol. 28(4): 331-340.

Kumar, Surender et al. (2006). Development of a social interaction questionnaire for the trainers and mothers of children with disabilities participating in dousa-hou (japanese psy-cho-rehabilitation) camps. *Psychological Reports*, Vol. 99(2): 591-598.

LaForme Fiss, A. C. et al. (2012). Comparison of family and therapist perceptions of physical and occupational therapy services provided to young children with cerebral palsy. *Physical & Occupational Therapy in Pediatrics*, Vol. 32(2): 210-226.

Law, Mary et al. (2006). Patterns of participation in recreational and leisure activities among children with complex physical disabilities. *Developmental Medicine & Child Neurology*, Vol. 48(5): 337-342.

Liang, Belle et al. (2013). Expanding the reach of youth mentoring: Partnering with youth for personal growth and social change. *Journal of Adolescence*, Vol. 36(2): 257-267

Liberty, K. (2004). Developmental gains in early intervention based on conductive education by young children with motor disorders. *International Journal of Rehabilitation Research*, Vol. 27(1): 17-25.

Lin, Keh-chung et al. (2011). Effects of home- based constraint-induced therapy versus dose-matched control intervention on functional outcomes and caregiver well-being in children with cerebral palsy. *Research in Developmental Disabilities: a Multidisciplinary Journal*, Vol. 32(5): 1483-1491.

Liptak, Gregory S. et al. (2011). Social participation in a nationally representative sample of older youth and young adults with autism. *Journal of Developmental and Behavioral Pediatrics*, Vol. 32(4): 277-283.

Livingston, Michael H. et al. (2011). Exploring issues of participation among adolescents with cerebral palsy: What's important to them? *Physical & Occupational Therapy in Pediatrics*, Vol. 31(3): 275-287.

Lowe, Kevin et al. (2006). Low-dose/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 48(3): 170-175.

Lowe, Kevin et al. (2007). Repeat injection of botulinum toxin A is safe and effective for upper limb movement and function in children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 49(11): 823-829.

Maggs, Jill et al. (2011). Comparing the priorities of parents and young people with cerebral palsy. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 33(17-18): 1650-1658.

Majnemer, Annette et al. (2008). Participation and enjoyment of leisure activities in school-aged children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 50(10): 751-758.

Majnemer, Annette et al. (2010). Leisure activity preferences of 6- to 12-year-old children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 52(2), 167-173.

Maniadaki, Katerina et al. (2006). AD/HD symptoms and conduct problems: Similarities and differences in maternal perceptions. *Journal of Child and Family Studies*, Vol. 15(4): 460-474.

Marcos, Y. Q. et al. (2013). Peer and family influence in eating disorders: A meta-analysis. *European Psychiatry*, Vol. 28(4): 199- 206.

Mayson, Tanja. A. et al. (2012). Parent goals as outcome measures for children receiving treadmill training: A series of case reports. *Developmental Neurorehabilitation*, Vol. 15(3): 219-222.

- Morris, Christopher. et al. (2005). Child or family assessed measures of activity performance and participation for children with cerebral palsy: A structured review. *Child: Care, Health and Development*, Vol. 31(4): 397-407.
- Morrow, A. M. et al (2007). Health professionals' perceptions of feeding-related quality of life in children with quadriplegic cerebral palsy. *Child: Care, Health and Development*, Vol. 33(5): 529-538.
- Neely-Barnes, Susan et al. (2010). It's our job: Qualitative study of family responses to ableism. *Intellectual and Developmental Disabilities*, Vol. 48(4): 245-258.
- Nijhuis, B.J.G. et al. (2007). Family-centred care in family-specific teams. *Clinical Rehabilitation*, Vol. 21(7): 660-671.
- Novak, Iona et al. (2007). A pilot study on the impact of occupational therapy home programming for young children with cerebral palsy. *American Journal of Occupational Therapy*, Vol. 61(4): 463-468.
- Olesch, Christine A. et al. (2010). Repeat botulinum toxin-A injections in the upper limb of children with hemiplegia: A randomized controlled trial. *Developmental Medicine & Child Neurology*, Vol. 52(1): 79-86.
- Olsson, M. B., & Hwang, C. P. (2006). Well-being, involvement in paid work and division of child-care in parents of children with intellectual disabilities in Sweden. *Journal of Intellectual Disability Research*, Vol. 50(12): 963-969.
- Palisano, Robert J. et al (2012). Participation-based therapy for children with physical disabilities. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34(12): 1041-1052.
- Palisano, Robert J. et al. (2011). Determinants of intensity of participation in leisure and recreational activities by children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(2): 142-149.
- Parkes, Jackie et al. (2011). Parenting stress and children with cerebral palsy: A european cross-sectional survey. *Developmental Medicine & Child Neurology*, Vol. 53(9): 815-821.
- Pennington, Lindsay et al. (2004). Interaction training for conversational partners of children with cerebral palsy: A systematic review. *International Journal of Language and Communication Disorders*, Vol. 39(2): 151-170.
- Pennington, Lindsay et al. (2013). Intensive dysarthria therapy for younger children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 55(5): 464-471.
- Pennington, Lindsay et al. (2009). Effects of it takes two to talk—The human program for parents of preschool children with cerebral palsy: Findings from an exploratory study. *Journal of Speech, Language, and Hearing Research*, Vol. 52(5): 1121-1138.
- Pollock, Nancy et al. (2014). Change in parent-identified goals in young children with cerebral palsy receiving a context-focused intervention: Associations with child, goal and intervention factors. *Physical & Occupational Therapy in Pediatrics*, Vol. 34(1): 62-74.
- Puyuelo, M., & Rondal, J. A. (2005). Speech rehabilitation in 10 spanish-speaking children with severe cerebral palsy: A 4-year longitudinal study. *Pediatric Rehabilitation*, Vol. 8(2): 113- 116.
- Reddihough, D. S. (2013). Review of cerebral palsy: From diagnosis to adult life. *Developmental Medicine & Child Neurology*, Vol. 55(3): 292.

- Rosenbaum, Peter (2011). Family and quality of life: Key elements in intervention in children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(Suppl 4): 68-70.
- Russo, R. N. et al. (2008). Pain characteristics and their association with quality of life and self-concept in children with hemiplegic cerebral palsy identified from a population register. *The Clinical Journal of Pain*, Vol. 24(4): 335- 342.
- Sandberg, A. D. & Lilledahl, M. (2008). Patterns in early interaction between young pre-school children with severe speech and physical impairments and their parents. *Child Language Teaching and Therapy*, Vol. 24(1): 9-30.
- Sandlund, M. et al. (2012). Motion interactive video games in home training for children with cerebral palsy: Parents' perceptions. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34(11): 925-933.
- Scheinberg, A. et al. (2006). Oral baclofen in children with cerebral palsy: A double-blind cross-over pilot study. *Journal of Paediatrics and Child Health*, Vol. 42(11): 715-720.
- Schenker, R. & Sutton, A. (2014). Researching conductive education. *Developmental Medicine & Child Neurology*, Vol. 56(4): 402-403.
- Scherer, P., & Steinbring, H. (2006). Noticing children's learning processes--teachers jointly reflect on their own classroom interaction for improving mathematics teaching. *Journal of Mathematics Teacher Education*, Vol. 9(2): 157-184.
- Schiariti, V. et al. (2014). Comparing contents of outcome measures in cerebral palsy using the international classification of functioning (ICF-CY): A systematic review. *European Journal of Paediatric Neurology: EJPN: Official Journal of the European Paediatric Neurology Society*, Vol. 18(1): 1- 12.
- Schiariti, V. et al. (2014). 'He does not see himself as being different': The perspectives of children and caregivers on relevant areas of functioning in cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 56(9): 853-861.
- Sellers, D. et al. (2014). A systematic review of ordinal scales used to classify the eating and drinking abilities of individuals with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 56(4): 313-322.
- Shapiro, D. N. et al. (2014). Gender and nurturance in families of children with neurodevelopmental conditions. *Rehabilitation Psychology*, Vol. 59(2): 155-161.
- Shikako-Thomas, K. et al. (2009). Quality of life from the perspective of adolescents with cerebral palsy: "I just think I'm a normal kid, I just happen to have a disability". *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, Vol. 18(7): 825-832.
- Shikako-Thomas, K. et al. (2013). Determinants of participation in leisure activities among adolescents with cerebral palsy. *Research in Developmental Disabilities*, Vol. 34(9): 2621-2634.
- Siebes, R. C. et al. (2007). Transparency and tuning of rehabilitation care for children with cerebral palsy: A multiple case study in five children with complex needs. *Developmental Neurorehabilitation*, Vol. 10(3): 193-204.
- Skjeldal, O. H. et al. (2009). Therapy in a subtropical climate for children with cerebral palsy. evidence of physical and psychosocial effects? *Acta Paediatrica*, Vol. 98(4): 670-674.
- Sonuga-Barke, E. J. S. et al. (2009). Dopamine and serotonin transporter genotypes moderate sensitivity to maternal expressed emotion: The case of conduct and emotional problems in

attention deficit hyperactivity disorder. *Journal of Child Psychology and Psychiatry*, Vol. 50(9): 1052-1063.

Sorsdahl, A. B. et al. (2010). Change in basic motor abilities, quality of movement and everyday activities following intensive, goal- directed, activity-focused physiotherapy in a group setting for children with cerebral palsy. *BMC Pediatrics*, 10: 26.

Stewart, M. et al. (2011). Brief report: An online support intervention: Perceptions of adolescents with physical disabilities. *Journal of Adolescence*, Vol. 34(4): 795-800.

St-Jacques, J. et al. (2010). Is virtual reality effective to motivate and raise interest in phobic children toward therapy? A clinical trial study of in vivo with in virtuo versus in vivo only treatment exposure. *Journal of Clinical Psychiatry*, Vol. 71(7): 924-931.

Sutcliffe, A. G., & Derom, C. (2006). Follow-up of twins: Health, behaviour, speech, language outcomes and implications for parents. *Early Human Development*, Vol. 82(6): 379- 386.

Tan, S. S. et al. (2014). Developmental trajectories of social participation in individuals with cerebral palsy: A multicentre longitudinal study. *Developmental Medicine & Child Neurology*, Vol. 56(4): 370-377.

Teachman, G., & Gibson, B. E. (2013). Children and youth with disabilities: Innovative methods for single qualitative interviews. *Qualitative Health Research*, Vol. 23(2): 264-274.

Thorley, M. et al. (2012). Evaluation of the effects of botulinum toxin A injections when used to improve ease of care and comfort in children with cerebral palsy whom are non-ambulant: A double blind randomized controlled trial. *BMC Pediatrics*, Vol. 12(1): 120.

Tseng, M., Chen et al. (2011). The determinants of daily function in children with cerebral palsy. *Research in Developmental Disabilities*, Vol. 32(1): 235-245.

Tuersley-Dixon, L., & Frederickson, N. (2010). Conductive education: Appraising the evidence. *Educational Psychology in Practice*, Vol. 26(4): 353-373.

Van Gils, A. et al. (2014). Family disruption increases functional somatic symptoms in late adolescence: The TRAILS study. *Health Psychology*, Vol. 33(11): 1354-1361.

Van Ravesteyn, N. T. et al. (2010). Measuring mobility limitations in children with cerebral palsy: Content and construct validity of a mobility questionnaire (MobQues). *Developmental Medicine & Child Neurology*, Vol. 52(10): 229-235.

Vargus-Adams, J. N., & Martin, L. K. (2011). Domains of importance for parents, medical professionals youth with cerebral palsy considering treatment outcomes. *Child: Care, Health and Development*, Vol. 37(2): 276-281.

Veness, C., & Reilly, S. (2008). Mealtime interaction patterns between young children with cerebral palsy and their mothers: Characteristics and relationship to feeding impairment. *Child: Care, Health and Development*, Vol. 34(6): 815-824.

Wallen, M. et al. (2007). Functional outcomes of intramuscular botulinum toxin type a and occupational therapy in the upper limbs of children with cerebral palsy: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, Vol. 88(1): 1-10.

Wallen, M. A. et al. (2004). Functional outcomes of intramuscular botulinum toxin type A in the upper limbs of children with cerebral palsy: A phase II trial. *Archives of Physical Medicine and Rehabilitation*, Vol. 85(2): 192-200.

Wallen, M. A., & Ziviani, J. M. (2012). Canadian occupational performance measure: Impact of blinded parent-proxy ratings on outcome. *Canadian Journal of Occupational Therapy / Revue Canadienne D'Ergothérapie*, Vol. 79(1): 7-14.

Wallen, M., & Majnemer, A. (2014). No differences were observed between six months of context- versus child-focussed intervention for young children with cerebral palsy on self-care, mobility, range-of-motion or participation. *Australian Occupational Therapy Journal*, Vol. 61(2): 126-127.

Wallen, M. et al. (2011). Modified constraint-induced therapy for children with hemiplegic cerebral palsy: A randomized trial. *Developmental Medicine & Child Neurology*, Vol. 53(12): 1091-1099.

Wallen, M. et al. (2012). 'Caution is warranted in interpreting data from a recent trial of modified constraint-induced therapy': Wallen et al. reply. *Developmental Medicine & Child Neurology*, Vol. 54(5): 479-480.

Waters, E. et al. (2005). Development of a condition-specific measure of quality of life for children with cerebral palsy: Empirical thematic data reported by parents and children. *Child: Care, Health & Development*, Vol. 31(2): 127-135.

Whitehead, T. et al. (2009). Is house-dust nicotine a good surrogate for household smoking? *American Journal of Epidemiology*, Vol. 169(9): 1113-1123.

Wiegerink, D. J. H. G. et al. (2006). Social and sexual relationships of adolescents and young adults with cerebral palsy: A review. *Clinical Rehabilitation*, Vol. 20(12): 1023-1031.

Wohlfeiler, M. M. et al. (2008). Paternal correlates of cognitive and behavioral functioning in children with myelomeningocele. *Developmental Medicine & Child Neurology*, Vol. 50(11): 864-869.

Wong, C. et al. (2012). Comparison of the prevalence and impact of health problems of pre-school children with and without cerebral palsy. *Child: Care, Health and Development*, Vol. 38(1): 128-138.

Wong, H. S. et al. (2014). Evaluation of early childhood social-communication difficulties in children born preterm using the quantitative checklist for autism in toddlers. *The Journal of Pediatrics*, Vol. 164(1): 26-33.

Wong, L., & MacLennan, A. H. (2011). Gathering the evidence: Cord gases and placental histology for births with low apgar scores. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*, Vol. 51(1): 17-21.

Woolfson, L. M., Taylor, R. J., & Mooney, L. (2011). Parental attributions of controllability as a moderator of the relationship between developmental disability and behaviour problems. *Child: Care, Health and Development*, Vol. 37(2): 184-194.

Wright, P. M. et al. (2004). Exploring the relevance of the personal and social responsibility model in adapted physical activity: A collective case study. *Journal of Teaching in Physical Education*, Vol. 23(1): 71-87.

Young, B. et al. (2006). Decision-making in community- based paediatric physiotherapy: A qualitative study of children, parents and practitioners. *Health & Social Care in the Community*, Vol. 14(2): 116-124.

Ödman, P. E., & Oberg, B. E. (2006). Effectiveness and expectations of intensive training: A comparison between child and youth rehabilitation and conductive education. *Disability and Rehabilitation*, Vol. 28(9): 561-570.

Øien, I. et al. (2010). Goal-setting in paediatric rehabilitation: Perceptions of parents and professional. *Child: Care, Health and Development*, Vol. 36(4): 558- 565.

Østensjø, S. et al. (2008). Goal-oriented rehabilitation of preschoolers with cerebral palsy: A multi-case study of combined use of the canadian occupational performance measure (COPM) and the goal attainment scaling (GAS). *Developmental Neurorehabilitation*, Vol. 11(4): 252-259.

Litteraturliste efter opdatering af temaet 2019-2020

Alghamdi, M. S. et al. (2017). Understanding participation of children with cerebral palsy in family and recreational activities. *Research in Developmental Disabilities*, Vol. 69: 96-104.

Bax, M. et al. (2015). Proposed definition and classification of cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 47(8): 571-576.

Bekendtgørelse af lov om folkeskolen, LBK nr. 1510 af 14/12/2017. Tilgængelig fra <https://www.retsinformation.dk/Forms/R0710.aspx?id=196651> [lokaliseret 20-05-2019].

Bekendtgørelse af lov om social service, LBK nr. 1114 af 30/08/2018. Tilgængelig fra <https://www.retsinformation.dk/Forms/R0710.aspx?id=202239>. [lokaliseret 20-05-2019].

Bekendtgørelse af sundhedsloven, LBK nr. 1286 af 02/11/2018. Tilgængelig fra <https://www.retsinformation.dk/Forms/R0710.aspx?id=203757>. [lokaliseret 20-05-2019].

Bottcher, Louise et al. (2010). Attentional and executive impairments in children with spastic cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 52(2): 42-47. [Bemærk: den førstnævnte forfatters efternavn er fejlagtigt registreret som Bottcher i flere databaser, det korrekte navn er: Bøttcher.]

Bøttcher, Louise, & Dammeyer, Jesper (2013). Disability as a risk factor? Development of psychopathology in children with disabilities. *Research in Developmental Disabilities*, Vol. 34(10): 3607-3617.

Center for Kommunikation og Velfærdsteknologi (u.å.). *CVI – Cerebral Visual Impairment: Hjernebetaget synsnedsettelse*. Odense: Center for Kommunikation og Velfærdsteknologi, Synsrådgivningen.

Cerebral Palsy Alliance (2018). *Communication Function Classification System (CFCS)*. Cerebral Palsy Alliance. Tilgængelig fra <https://research.cerebralpalsy.org.au/what-is-cerebral-palsy/severity-of-cerebral-palsy/communication-function-classification-system-cfcs> [lokaliseret 03-04-2019].

Colver, A. et al. (2011). Access of children with cerebral palsy to the physical, social and attitudinal environment they need: A cross-sectional European study. *Disability and Rehabilitation*, Vol. 33(1): 28-35.

Colver, A. et al. (2012). Association between participation in life situations of children with cerebral palsy and their physical, social, and attitudinal environment: A cross-sectional multicenter European study. *Archives of Physical Medicine and Rehabilitation*, Vol. 93(12): 2154-2164.

Colver, A. et al. (2015). Self-reported quality of life of adolescents with cerebral palsy: A cross-sectional and longitudinal analysis. *Lancet*, Vol. 385(9969): 705-716.

CPOP (u.å.) *Hvad er CPOP? CPOP Danmark*. Tilgængelig fra <http://www.cpop.dk/om-cpop/hvad-er-cpop> [lokaliseret 17-12-2019].

CPOP. (u.å.). *Samarbejdsaftaler*. CPOP Danmark. Tilgængelig fra <http://www.cpop.dk/om-cpop/samarbejdsaftaler> [lokaliseret 17-12-2019].

- Dahl, T., & Schiøler, G. (2003). *International klassifikation af funktionsevne, funktionsnedsættelse og helbredstilstand*. København: Munksgaard.
- Darrah, J. et al. (2011). Context-therapy: A new intervention approach for children with cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 53(7): 615-620.
- Ergoterapeutforeningen (2019, 1. februar). *Børn og unge*. Ergoterapeutforeningen. Tilgængelig fra: <https://www.etf.dk/ergoterapi-og-politik/boern-og-unge> [lokaliseret 06-01-2019].
- Fauconnier, J. et al. (2009). Participation in life situations of 8-12 year old children with cerebral palsy: Cross sectional European study. *British Medical Journal*, Vol. 338(7703): 1-12.
- Fiss, A. et al. (2014). Family ecology of young children with cerebral palsy. *Child: Care, Health and Development*, Vol. 40(4): 562-571.
- Graham, H. et al. (2016). Cerebral palsy. *Nature Reviews. Disease Primers*, Vol. 2 (Article number 15082): 1-24.
- Guyard, A. et al. (2017). Family adaptation to cerebral palsy in adolescents: A European multicenter study. *Research in Developmental Disabilities*, Vol. 61: 138-150.
- Huysentruyt, K. et al. (2019). Nutritional Red Flags in Children with Cerebral Palsy. *Clinical Nutrition*, 2019 Mar 08, DOI:10.1016/j.clnu.2019.02.040 [Epub ahead of print].
- Haagaas, Ivar et al. (2007). *Referanseprogram for cerebral parese*. Tønsberg, Norge: Sykehuset i Vestfold.
- Imms, C. et al. (2016). Leisure participation-preference congruence of children with cerebral palsy: A children's assessment of participation and enjoyment international network descriptive study. *Developmental Medicine and Child Neurology*, Vol. 59(4): 380-387.
- Indenrigs- og Sundhedsministeriet. (2011). *Vejledning om kommunal rehabilitering*. Kbh.: Indenrigs- og Sundhedsministeriet.
- Kang, L. et al. (2010). Determinants of social participation - with friends and others who are not family members – for youths with cerebral palsy. *Physical Therapy*, Vol. 90(12): 1743-1757.
- Ketelaar, M. et al. (2010). LEARN 2 MOVE 2-3: A randomized controlled trial on the efficacy of child-focused intervention and context-focused intervention in preschool children with cerebral palsy. *BMC Pediatrics*, Vol. 10(Art.nr. 80): 1-10.
- Kruijssen-Terpstra, A. J. A. (2016). Efficacy of three therapy approaches in preschool children with cerebral palsy: A randomized controlled trial. *Developmental Medicine and Child Neurology*, Vol. 58(7): 758-766.
- Law, M. C. et al. (2011). Focus on function: A cluster, randomized controlled trial comparing child- versus context-focused intervention for young children with cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 53(7): 621-629.
- Law, M. et al. (2015). Improving the participation of youth with physical disabilities in community activities: An interrupted time series design. *Australian Occupational Therapy Journal*, Vol. 62(2): 105-115.
- Lipscombe, B. et al. (2016). Does early communication mediate the relationship between motor ability and social function in children with cerebral palsy? *Research in Developmental Disabilities*, Vol. 53-54: 279-286.
- Melunovic, M. et al. (2017). Anthropometric Parameters of Nutritional Status in Children with Cerebral Palsy. *Materia Socio-Medica*, Vol. 29(1): 68-72.

- Michelsen, S. I. et al. (2009). Frequency of participation of 8-12-year-old children with cerebral palsy: A multi-centre cross-sectional European study. *European Journal of Paediatric Neurology*, Vol. 13(2): 165-177.
- Michelsen, S. I. et al. (2010). *Børn med cerebral parese i Danmark*. København: Statens Institut for Folkesundhed, Syddansk Universitet, København.
- Michelsen, S. I. et al. (2014). European study of frequency of participation of adolescents with and without cerebral palsy. *European Journal of Paediatric Neurology*, Vol. 18(3): 282-294.
- Novak, I. et al. (2012). Clinical prognostic messages from a systematic review on cerebral palsy. *Pediatrics*, Vol. 130(5): e1285-1312.
- Novak, I. et al. (2013). A systematic review of interventions for children with cerebral palsy: State of the evidence. *Developmental Medicine and Child Neurology*, Vol. 55(10): 885-910.
- Palisano, R. et al. (1997). Development and reliability of a system to classify gross motor function in children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 39(4): 214-223.
- Palisano, Robert et al. (2007). *GMFCS – E & R: Gross Motor Function Classification System: Expanded and Revised*. Hamilton, Canada: Canchild Centre for Childhood Disability Research, Institute for Applied Health Sciences, McMaster University.
- Parkes, J. et al. (2010). Oromotor dysfunction and communication impairments in children with cerebral palsy: A register study. *Developmental Medicine and Child Neurology*, Vol. 52(12): 1113-1119.
- Pennington, L. (2008). Cerebral palsy and communication. *Paediatrics and Child Health*, Vol. 18(9): 405-409.
- Phipps, S., & Roberts, P. (2012). Predicting the effects of cerebral palsy severity on self-care, mobility, and social function. *The American Journal of Occupational Therapy*, Vol. 66(4): 422-429.
- Rackauskaite, G. et al. (2016). Screening for psychopathology in a national cohort of 8- to 15-year old children with cerebral palsy. *Research in Developmental Disabilities*, Vol. 49-50: 171-180.
- Rambøll (u.å.). *Modelbeskrivelse: Én familie: Én indgang på børnehandicapområdet*. Kbh.: Rambøll.
- Rambøll (u.å.). *Modelbeskrivelse: Sammen om familien på børnehandicapområdet*. Kbh.: Rambøll.
- Ramstad, K. et al. (2012). Parent-reported participation in children with cerebral palsy: The contribution of recurrent musculoskeletal pain and child mental health problems. *Developmental Medicine and Child Neurology*, Vol. 54(9), 829-835.
- Reedman, S. et al. (2017). The efficacy of interventions to increase physical activity participation of children with cerebral palsy: A systematic review and meta-analysis. *Developmental Medicine and Child Neurology*, Vol. 59(10): 1011-1018.
- Roux, G. et al. (2013). A randomized controlled trial of Group Stepping Stones Triple P: A mixed-disability trial. *Family Process*, Vol. 52(3): 411-424.
- Smits, D. et al. (2009). Relationship between gross motor capacity and daily-life mobility in children with cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 52(3): e60-e66.

- Socialstyrelsen (2015). *Trænings- og habiliteringsindsatser til børn og unge med et betydeligt og varigt handicap: Inspiration til kommunerne*. Odense: Socialstyrelsen.
- Socialstyrelsen (2018). *Håndbog om hjemmetræning: Om udredning, betingelser, støttemuligheder og tilsyn ved hjemmetræning efter §32a i Serviceloven: Børn og unge med betydelig og varigt nedsat fysisk eller psykisk funktionsevne*. (2. udg.). Odense: Socialstyrelsen.
- Socialstyrelsen (2019). *Forløbsbeskrivelse: Børn og unge med komplekse følger af cerebral parese. Aldersgruppe 0-18 år*. Odense: Socialstyrelsen.
- Socialstyrelsen (2019). *Omkostningsvurdering af Context-focused Therapy*. Odense: Socialstyrelsen.
- Socialstyrelsen (2019, 2. juli). *Udbredelse af Stepping Stones – til forældre, der har et barn med handicap*. Socialstyrelsen. Tilgået via <https://socialstyrelsen.dk/projekter-og-initiativer/handicap/udbredelse-af-stepping-stones> [lokaliseret 17-12-2019].
- Socialstyrelsen (2019, 25. januar). *Nye indsatser målrettet børn og unge med handicap: Bedre koordination i indsatserne*. Socialstyrelsen. Tilgået via <https://socialstyrelsen.dk/projekter-og-initiativer/handicap/nye-indsatser-over-for-born-og-unge-med-handicap-bedre-koordination-i-indsatserne> [lokaliseret 17-12-2019].
- Socialstyrelsen. (2018). *Børn og unge med cerebral parese – sværhedsgrader og specialundervisning*. Internt dokument – ikke publiceret. Odense: Socialstyrelsen, Center for Data, Analyse og Metode.
- Sofronoff, K. et al. (2011). Stepping Stones Triple P seminars for parents of a child with a disability: A randomized controlled trial. *Research in Developmental Disabilities*, Vol. 32(6): 2253-2262.
- Spijkers, W. et al. (2013). Effectiveness of Primary Care Triple P on child psychosocial problems in preventive child healthcare: A randomized controlled trial. *BMC Medicine*, Vol. 11(1): 240.
- Sundhedsstyrelsen (2014). *National klinisk retningslinje for fysioterapi og ergoterapi til børn og unge med nedsat funktionsevne som følge af cerebral parese: 9 udvalgte indsatser*. Kbh.: Sundhedsstyrelsen.
- Tellegen, C. L. & Sanders, M. R. (2013). Stepping Stones Triple P-Positive Parenting Program for children with disability: A systematic review and meta-analysis. *Research in Developmental Disabilities*, Vol. 34(5): 1556-1571.
- Triple P International (2017). *Enhanced Triple P*. Brisbane, Australia: Triple P International Pty Ltd.
- Triple P International (2017). *Family Transitions Triple P*. Brisbane, Australia: Triple P International Pty Ltd.
- Triple P International (2017). *Group Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.
- Triple P International (2017). *Primary care Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.
- Triple P International (2017). *Selected Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.
- Triple P International (2017). *Standard Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

- Triple P International (u.å.). *LEVEL 1*. Triple P. Tilgængelig fra <https://www.triplep.net/global/the-triple-p-system-at-work/the-system-explained/level-1/> [lokaliseret 08-01-2020].
- Triple P UK (2015). *Triple P: Positive Parenting Program: Stepping Stones Triple P*. UK: Triple P UK Ltd.
- Vidensportalen (2019, 16. juli). *Søskendeprogrammet: Att ge syskon utrymme*. Socialstyrelsen. Tilgået via <https://vidensportal.dk/handicap/soskende-til-born-og-unge-med-funktionsnedsaettelse/indsatser/att-ge-syskon-utrymme> [lokaliseret 17-12-2019].
- Vidensportalen (2019, 17. juli). *SibworkS*. Socialstyrelsen. Tilgået via <https://vidensportal.dk/handicap/soskende-til-born-og-unge-med-funktionsnedsaettelse/indsatser/sibworks> [lokaliseret 17-12-2019].
- VIVE (2018). *Mestring blandt forældre til børn med handicap: Evaluering af effekt, økonomi og implementering af mestringsprogrammet*. Kbh.: VIVE.
- von Tetzchner, S. & Martinsen, H. (red.) (2002). *Alternativ og supplerende kommunikasjon: En innføring i tegnspråksopplæring og bruk av kommunikasjonshjelpemidler for mennesker med språk- og kommunikasjonssvanser*. Oslo: Gyldendal Akademisk.
- Whittingham, et al. (2014). Interventions to Reduce Behavioral Problems in Children With Cerebral Palsy: An RCT. *Pediatrics*, Vol. 133(5): 1249-1257.
- Whittingham, K. et al. (2016). Parenting intervention combined with acceptance and commitment therapy: A trial with families of children with cerebral palsy. *Journal of Pediatric Psychology*, Vol. 41(5): 531-542.
- Willerslev-Olsen, M. (2018). Impaired muscle growth precedes development of increased stiffness of the triceps surae musculotendinous unit in children with cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 60(7): 672-679.
- Willerslev-Olsen, M. et al. (2013). Passive muscle properties are altered in children with cerebral palsy before the age of 3 years and are difficult to distinguish clinically from spasticity. *Developmental Medicine and Child Neurology*, Vol. 55(7): 617-623.
- Yamaguchi, T. et al. (2018). Spasticity in adults with cerebral palsy and multiple sclerosis measured by objective clinically applicable technique. *Clinical Neurophysiology*, Vol. 129(9): 2010-2021.
- Öhrvall, A. et al. (2010). Self-care and mobility skills in children with cerebral palsy, related to their manual ability and gross motor function classification. *Developmental Medicine and Child Neurology*, Vol. 52(11): 1048-1055.



Socialstyrelsen

Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf.: 72 42 37 00

www.socialstyrelsen.dk