



Socialstyrelsen

Litteraturliste til temaet Børn med epilepsi

marts 2020

Viden til gavn

Publikationen er udgivet af
Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf: 72 42 37 00
E-mail: info@socialstyrelsen.dk
www.socialstyrelsen.dk

Udgivet 4. marts 2020

Litteraturliste til temaet Epilepsi

Litteraturlisten indeholder litteratur, der er fremsøgt ved temaets udarbejdelse i 2016, og der er efterfølgende blevet tilføjet litteratur ifm. opdateringer af temaet. Litteratur, der er anvendt ved opdateringen i 2020, findes sidst i dokumentet.

Baggrund for søgning

År for søgning

December 2015-januar 2016 og senere suppleret med artikler publiceret efter januar 2016 og enkelte referencer før 2005.

Tidsafgrænsning for søgning

2005 -2015.

Geografisk afgrænsning

Internationalt.

Den samlede litteraturliste ved temaets udarbejdelse i 2016

Alaee, N. et al (2015). Psychosocial challenges for parents of children with cerebral palsy: A qualitative study. *Journal of Child and Family Studies*, Vol. 24 (7): 2147-2154.

Andrade, P. M. O. et al (2012). Content identification of the interdisciplinary assessment of cerebral palsy using the international classification of functioning, disability and health as reference. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34 (21): 1790-1801.

Andrade, P. M. O. et al (2012). An ICF-based approach for cerebral palsy from a biopsychosocial perspective. *Developmental Neurorehabilitation*, Vol. 15(6): 391-400.

Badia, M. et al (2013). The influence of participation in leisure activities on quality of life in spanish children and adolescents with cerebral palsy. *Research in Developmental Disabilities*, Vol. 34(9): 2864-2871.

Baiter, M. R. R., & Dupas, G. (2013). Experiences from families of children with cerebral paralysis in context of social vulnerability. *Revista Latino-Americana De Enfermagem*, Vol. 21(4): 956-963.

Blacher, J. et al. (2013). Syndrome specificity and mother-child interactions: Examining positive and negative parenting across contexts and time. *Journal of Autism and Developmental Disorders*, Vol. 43(4): 761-774.

Blank, R. et al (2008). Conductive education for children with cerebral palsy: Effects on hand motor functions relevant to activities of daily living. *Archives of Physical Medicine and Rehabilitation*, Vol. 89 (2): 251-259.

Broberg, M. et al (2012). Measuring responsive style in parents who use AAC with their children: Development and evaluation of a new instrument. *AAC: Augmentative and Alternative Communication*, Vol. 28 (4): 243-253.

- Brown, F. L. et al (2014). Improving child and parenting outcomes following paediatric acquired brain injury: A randomised controlled trial of stepping stones triple P plus acceptance and commitment therapy. *Journal of Child Psychology and Psychiatry*, Vol. 55(10): 1172-1183.
- Bult, M. K. (2013). Predicting leisure participation of school-aged children with cerebral palsy: Longitudinal evidence of child, family and environmental factors. *Child: Care, Health and Development*, Vol. 39(3): 374-380.
- Bunning, K. et al (2013). Investigation of practices to support the complex communication needs of children with hearing impairment and cerebral palsy in a rural district of Kenya: A case series. *International Journal of Language & Communication Disorders*, Vol. 48 (6): 689-702.
- Burgess, S. et al (2013). Exploring the in-session reflective capacity of clinical psychology trainees: An interpersonal process recall study. *Clinical Psychologist*, Vol. 17 (3): 122-130.
- Burt, S. A. et al (2013). Maternal warmth and directiveness jointly moderate the etiology of childhood conduct problems. *Journal of Child Psychology and Psychiatry*, Vol. 54(10): 1030-1037.
- Capelovitch, S. (2014). Neurodevelopmental therapy: A popular approach. *Developmental Medicine & Child Neurology*, Vol. 56 (4): 402.
- Chen, K. et al (2014). Determinants of quality of life in children with cerebral palsy: A comprehensive biopsychosocial approach. *Research in Developmental Disabilities*, Vol. 35 (2): 520-528.
- Chronis-Tuscano, A. et al (2008). Associations between maternal attention-Deficit/Hyperactivity disorder symptoms and parenting. *Journal of Abnormal Child Psychology*, Vol. 36 (8): 1237-1250.
- Coard, S. I. et al (2007). Considering culturally relevant parenting practices in intervention development and adaptation. A randomized controlled trial of the black parenting strengths and strategies (BPSS) program. *Counseling Psychologist*, Vol. 35 (6): 797-820.
- Costigan, A. F. & Light, J. (2011). Functional seating for school-age children with cerebral palsy: An evidence-based tutorial. *Language, Speech, and Hearing Services in Schools*, Vol. 42 (2): 223-236.
- Critchfield, K. L., & Benjamin, L. S. (2010). Assessment of repeated relational patterns for individual cases using the SASB-based intrex questionnaire. *Journal of Personality Assessment*, Vol. 92 (6): 480-489.
- Cusick, A. et al (2007). Adapting the canadian occupational performance measure for use in a paediatric clinical trial. *Disability and Rehabilitation: An International Multidisciplinary Journal*, Vol. 29 (10): 761-766.
- Darrah, J. et al (2012). Are family-centred principles, functional goal setting and transition planning evident in therapy services for children with cerebral palsy? *Child: Care, Health and Development*, Vol. 38 (1): 41-47.
- de Brito Brandão, Marina et al (2012). Functional impact of constraint therapy and bimanual training in children with cerebral palsy: A randomized controlled trial. *American Journal of Occupational Therapy*, Vol. 66 (6): 672-681.
- Dekkers, K. J. et al (2014). Upper extremity strength measurement for children with cerebral palsy: A systematic review of available instruments. *Physical Therapy*, Vol. 94 (5): 609-622.

- Di Pietro, N. C. et al (2013). Treatments for neurodevelopmental disorders: Evidence, advocacy, and the internet. *Journal of Autism and Developmental Disorders*, Vol. 43 (1): 122-133.
- Dirks, T. & Hadders-Algra, M. (2011). The role of the family in intervention of infants at high risk of cerebral palsy: A systematic analysis. *Developmental Medicine & Child Neurology*, Vol. 53 (Suppl 4): 62-67.
- Elizur, Y. et al (2007). A gender-moderated model of family relationships and adolescent adjustment. *Journal of Clinical Child and Adolescent Psychology*, Vol. 36 (3): 430-441.
- Escobar, M. J. et al (2014). Behavior problems and attachment in adopted and non-adopted adolescents. *Children and Youth Services Review*, Vol. 42 (7): 59-66.
- Evans, T. et al (2014). Are parenting interventions effective in improving the relationship between mothers and their preterm infants? *Infant Behavior & Development*, Vol. 37 (2): 131-154.
- Farc, M. M. et al (2008). Hostility ratings by parents at risk for child abuse: Impact of chronic and temporary schema activation. *Child Abuse & Neglect*, Vol. 32 (2): 177-193.
- Ferm, U. et al (2005). Conversational topics between a child with complex communication needs and her caregiver at mealtime. *AAC: Augmentative and Alternative Communication*, Vol. 21 (1): 19-40.
- Franki, I. et al (2014). A clinical decision framework for the identification of main problems and treatment goals for ambulant children with bilateral spastic cerebral palsy. *Research in Developmental Disabilities*, Vol. 35 (5): 1160-1176.
- Garth, B. et al (2009). Perceptions of participation: Child patients with a disability in the doctor-parent-child partnership. *Patient Education and Counseling*, Vol. 74(1): 45-52.
- Gates, P. E. et al (2012). Randomized controlled trial assessing participation and quality of life in a supported speed treadmill training exercise program vs. a strengthening program for children with cerebral palsy. *Journal of Pediatric Rehabilitation Medicine*, Vol. 5(2): 75-88.
- Gilmore, R. et al (2010). Upper limb activity measures for 5- to 16- year-old children with congenital hemiplegia: A systematic review. *Developmental Medicine & Child Neurology*, Vol. 52(1): 14-21
- Gordon, A. B. et al (2011). Modified goal attainment scale outcomes for ambulatory children: With and without orthopedic surgery. *Gait & Posture*, Vol. 33(1): 77-82.
- Guerette, P. et al (2013). The positive effects of early powered mobility on children's psychosocial and play skills. *Assistive Technology: The Official Journal of RESNA*, Vol. 25(1): 39-48.
- Gulmans, J. et al (2010). A web-based communication system for integrated care in cerebral palsy: Design features, technical feasibility and usability. *Journal of Telemedicine and Telecare*, Vol. 16(7): 389-393.
- Hall, H. R. et al (2012). Parental stress in families of children with a genetic disorder/disability and the resiliency model of family stress, adjustment, and adaptation. *Issues in Comprehensive Pediatric Nursing*, Vol. 35(1): 24-44.
- Halvarsson, S. et al (2010). From authority to coach - parents' experiences of stretching as a home programme for children with cerebral palsy. *Advances in Physiotherapy*, Vol. 12(4): 208-216.

- Hane, A. A., & Fox, N. A. (2006). Ordinary variations in maternal caregiving influence human infants' stress reactivity. *Psychological Science*, Vol. 17(6): 550-556.
- Hane, A. A., & Fox, N. A. (2007). Ordinary variations in maternal caregiving influence human infants' stress reactivity": Erratum. *Psychological Science*, Vol. 18(7): 656.
- Hartman, C.A. et al (2013). Self- or parent report of (co- occurring) internalizing and externalizing problems, and basal or reactivity measures of HPA-axis functioning: A systematic evaluation of the internalizing-hyperresponsivity versus externalizing-hyporesponsivity HPA-axis hypothesis. *Biological Psychology*, Vol. 94(1): 175-184.
- Heathcock, J. (2011). Assessment of bilateral function in children with upper extremity dysfunction. *Developmental Medicine & Child Neurology*, Vol. 53(5): 393.
- Hemsley, B. (2013). Review of cerebral palsy: From diagnosis to adult life. *Journal of Intellectual and Developmental Disability*, Vol. 38(3): 274-275.
- Hidecker, M. J. C. et al (2011). Developing and validating the communication function classification system for individuals with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(8): 704-710.
- Higginson, J., & Matthewson, M. (2014). Working therapeutically with parents after the diagnosis of a child's cerebral palsy: Issues and practice guidelines. *Australian Journal of Rehabilitation Counselling*, Vol. 20(1): 50-66.
- Hines, M. et al (2011). Communication and AAC in the lives of adults with autism: The stories of their older parents. *AAC: Augmentative and Alternative Communication*, Vol. 27(4): 256-266.
- Huang, C. et al (2013). Determinants of school activity performance in children with cerebral palsy: A multidimensional approach using the ICF-CY as a framework. *Research in Developmental Disabilities*, Vol. 34(11): 4025-4033.
- Hunt, K. A., & Franck, L. S. (2011). Special needs require special attention: A pilot project implementing the paediatric pain profile for children with profound neurological impairment in an in-patient setting following surgery. *Journal of Child Health Care*, Vol. 15(3): 210-220.
- Jeglinsky, I. et al (2014). How are actual needs recognized in the content and goals of written rehabilitation plans? *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 36(6): 441-451.
- Kang, L. J. et al (2010). Determinants of social participation: With friends and others who are not family members: For youths with cerebral palsy. *Physical Therapy*, Vol. 90(12): 1743-1757.
- Katz, L. F., & Windecker-Nelson, B. (2004). Parental meta-emotion philosophy in families with conduct-problem children: Links with peer relations. *Journal of Abnormal Child Psychology*, Vol. 32(4): 385-398.
- Ketelaar, M. et al (2010). LEARN 2 MOVE 2-3: A randomized controlled trial on the efficacy of child-focused intervention and context-focused intervention in preschool children with cerebral palsy. *BMC Pediatrics*, (10): 80.
- Kimonis, E. R., & Armstrong, K. (2012). Adapting parent-child interaction therapy to treat severe conduct problems with callous-unemotional traits: A case study. *Clinical Case Studies*, Vol. 11(3): 234-252.
- Kimonis, E. R et al (2014). Parent training outcomes among young children with callous-unemotional conduct problems with or at risk for developmental delay. *Journal of Child and Family Studies*, Vol. 23(2): 437-448.

- Kirkpatrick, E. V. et al. (2013). Motor planning ability is not related to lesion side or functional manual ability in children with hemiplegic cerebral palsy. *Experimental Brain Research*, Vol. 231(2): 239-247.
- Knox, V., & Menzies, S. (2005). Using the measure of processes of care to assess parents' views of a paediatric therapy service. *The British Journal of Occupational Therapy*, Vol. 68(3): 110-116.
- Kolehmainen, N. (2014). Neurodevelopmental treatment. *The British Journal of Occupational Therapy*, Vol. 77(1): 23.
- Krakovsky, G. et al. (2007). Functional changes in children, adolescents, and young adults with cerebral palsy. *Research in Developmental Disabilities*, Vol. 28(4): 331-340.
- Kumar, Surender et al. (2006). Development of a social interaction questionnaire for the trainers and mothers of children with disabilities participating in dousa-hou (japanese psycho-rehabilitation) camps. *Psychological Reports*, Vol. 99(2): 591-598.
- LaForme Fiss, A. C. et al. (2012). Comparison of family and therapist perceptions of physical and occupational therapy services provided to young children with cerebral palsy. *Physical & Occupational Therapy in Pediatrics*, Vol. 32(2): 210-226.
- Law, Mary et al. (2006). Patterns of participation in recreational and leisure activities among children with complex physical disabilities. *Developmental Medicine & Child Neurology*, Vol. 48(5): 337-342.
- Liang, Belle et al. (2013). Expanding the reach of youth mentoring: Partnering with youth for personal growth and social change. *Journal of Adolescence*, Vol. 36(2): 257-267
- Liberty, K. (2004). Developmental gains in early intervention based on conductive education by young children with motor disorders. *International Journal of Rehabilitation Research*, Vol. 27(1): 17-25.
- Lin, Keh-chung et al. (2011). Effects of home- based constraint-induced therapy versus dose-matched control intervention on functional outcomes and caregiver well-being in children with cerebral palsy. *Research in Developmental Disabilities: a Multidisciplinary Journal*, Vol. 32(5): 1483-1491.
- Liptak, Gregory S. et al. (2011). Social participation in a nationally representative sample of older youth and young adults with autism. *Journal of Developmental and Behavioral Pediatrics*, Vol. 32(4): 277-283.
- Livingston, Michael H. et al. (2011). Exploring issues of participation among adolescents with cerebral palsy: What's important to them? *Physical & Occupational Therapy in Pediatrics*, Vol. 31(3): 275-287.
- Lowe, Kevin et al. (2006). Low-dose/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 48(3): 170-175.
- Lowe, Kevin et al. (2007). Repeat injection of botulinum toxin A is safe and effective for upper limb movement and function in children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 49(11): 823-829.
- Maggs, Jill et al. (2011). Comparing the priorities of parents and young people with cerebral palsy. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 33(17-18): 1650-1658.

Majnemer, Annette et al. (2008). Participation and enjoyment of leisure activities in school-aged children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 50(10): 751-758.

Majnemer, Annette et al. (2010). Leisure activity preferences of 6- to 12-year-old children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 52(2), 167-173.

Maniadaki, Katerina et al. (2006). AD/HD symptoms and conduct problems: Similarities and differences in maternal perceptions. *Journal of Child and Family Studies*, Vol. 15(4): 460-474.

Marcos, Y. Q. et al. (2013). Peer and family influence in eating disorders: A meta-analysis. *European Psychiatry*, Vol. 28(4): 199- 206.

Mayson, Tanja. A. et al. (2012). Parent goals as outcome measures for children receiving treadmill training: A series of case reports. *Developmental Neurorehabilitation*, Vol. 15(3): 219-222.

Morris, Christopher. et al. (2005). Child or family assessed measures of activity performance and participation for children with cerebral palsy: A structured review. *Child: Care, Health and Development*, Vol. 31(4): 397-407.

Morrow, A. M. et al (2007). Health professionals' perceptions of feeding- related quality of life in children with quadriplegic cerebral palsy. *Child: Care, Health and Development*, Vol. 33(5): 529-538.

Neely-Barnes, Susan et al. (2010). It's our job: Qualitative study of family responses to ableism. *Intellectual and Developmental Disabilities*, Vol. 48(4): 245-258.

Nijhuis, B.J.G. et al. (2007). Family-centred care in family-specific teams. *Clinical Rehabilitation*, Vol. 21(7): 660-671.

Novak, Iona et al. (2007). A pilot study on the impact of occupational therapy home programming for young children with cerebral palsy. *American Journal of Occupational Therapy*, Vol. 61(4): 463-468.

Olesch, Christine A. et al. (2010). Repeat botulinum toxin-A injections in the upper limb of children with hemiplegia: A randomized controlled trial. *Developmental Medicine & Child Neurology*, Vol. 52(1): 79-86.

Olsson, M. B., & Hwang, C. P. (2006). Well-being, involvement in paid work and division of child-care in parents of children with intellectual disabilities in Sweden. *Journal of Intellectual Disability Research*, Vol. 50(12): 963-969.

Palisano, Robert J. et al (2012). Participation-based therapy for children with physical disabilities. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34(12): 1041-1052.

Palisano, Robert J. et al. (2011). Determinants of intensity of participation in leisure and recreational activities by children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(2): 142-149.

Parkes, Jackie et al. (2011). Parenting stress and children with cerebral palsy: A european cross-sectional survey. *Developmental Medicine & Child Neurology*, Vol. 53(9): 815-821.

Pennington, Lindsay et al. (2004). Interaction training for conversational partners of children with cerebral palsy: A systematic review. *International Journal of Language and Communication Disorders*, Vol. 39(2): 151-170.

- Pennington, Lindsay et al. (2013). Intensive dysarthria therapy for younger children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 55(5): 464-471.
- Pennington, Lindsay et al. (2009). Effects of it takes two to talk—The human program for parents of preschool children with cerebral palsy: Findings from an exploratory study. *Journal of Speech, Language, and Hearing Research*, Vol. 52(5): 1121-1138.
- Pollock, Nancy et al. (2014). Change in parent-identified goals in young children with cerebral palsy receiving a context-focused intervention: Associations with child, goal and intervention factors. *Physical & Occupational Therapy in Pediatrics*, Vol. 34(1): 62-74.
- Puyuelo, M., & Rondal, J. A. (2005). Speech rehabilitation in 10 spanish-speaking children with severe cerebral palsy: A 4-year longitudinal study. *Pediatric Rehabilitation*, Vol. 8(2): 113- 116.
- Reddihough, D. S. (2013). Review of cerebral palsy: From diagnosis to adult life. *Developmental Medicine & Child Neurology*, Vol. 55(3): 292.
- Rosenbaum, Peter (2011). Family and quality of life: Key elements in intervention in children with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 53(Suppl 4): 68-70.
- Russo, R. N. et al. (2008). Pain characteristics and their association with quality of life and self-concept in children with hemiplegic cerebral palsy identified from a population register. *The Clinical Journal of Pain*, Vol. 24(4): 335- 342.
- Sandberg, A. D. & Liliedahl, M. (2008). Patterns in early interaction between young pre-school children with severe speech and physical impairments and their parents. *Child Language Teaching and Therapy*, Vol. 24(1): 9-30.
- Sandlund, M. et al. (2012). Motion interactive video games in home training for children with cerebral palsy: Parents' perceptions. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, Vol. 34(11): 925-933.
- Scheinberg, A. et al. (2006). Oral baclofen in children with cerebral palsy: A double-blind cross-over pilot study. *Journal of Paediatrics and Child Health*, Vol. 42(11): 715-720.
- Schenker, R. & Sutton, A. (2014). Researching conductive education. *Developmental Medicine & Child Neurology*, Vol. 56(4): 402-403.
- Scherer, P., & Steinbring, H. (2006). Noticing children's learning processes--teachers jointly reflect on their own classroom interaction for improving mathematics teaching. *Journal of Mathematics Teacher Education*, Vol. 9(2): 157-184.
- Schiariti, V. et al. (2014). Comparing contents of outcome measures in cerebral palsy using the international classification of functioning (ICF-CY): A systematic review. *European Journal of Paediatric Neurology: EJPN: Official Journal of the European Paediatric Neurology Society*, Vol. 18(1): 1-12.
- Schiariti, V. et al. (2014). 'He does not see himself as being different': The perspectives of children and caregivers on relevant areas of functioning in cerebral palsy. *Developmental Medicine and Child Neurology*, Vol. 56(9): 853-861.
- Sellers, D. et al. (2014). A systematic review of ordinal scales used to classify the eating and drinking abilities of individuals with cerebral palsy. *Developmental Medicine & Child Neurology*, Vol. 56(4): 313-322.
- Shapiro, D. N. et al. (2014). Gender and nurturance in families of children with neurodevelopmental conditions. *Rehabilitation Psychology*, Vol. 59(2): 155-161.

- Shikako-Thomas, K. et al. (2009). Quality of life from the perspective of adolescents with cerebral palsy: "I just think I'm a normal kid, I just happen to have a disability". *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, Vol. 18(7): 825-832.
- Shikako-Thomas, K. et al. (2013). Determinants of participation in leisure activities among adolescents with cerebral palsy. *Research in Developmental Disabilities*, Vol. 34(9): 2621-2634.
- Siebes, R. C. et al. (2007). Transparency and tuning of rehabilitation care for children with cerebral palsy: A multiple case study in five children with complex needs. *Developmental Neurorehabilitation*, Vol. 10(3): 193-204.
- Skjeldal, O. H. et al. (2009). Therapy in a subtropical climate for children with cerebral palsy. evidence of physical and psychosocial effects? *Acta Paediatrica*, Vol. 98(4): 670-674.
- Sonuga-Barke, E. J. S. et al. (2009). Dopamine and serotonin transporter genotypes moderate sensitivity to maternal expressed emotion: The case of conduct and emotional problems in attention deficit hyperactivity disorder. *Journal of Child Psychology and Psychiatry*, Vol. 50(9): 1052-1063.
- Sorsdahl, A. B. et al. (2010). Change in basic motor abilities, quality of movement and everyday activities following intensive, goal- directed, activity-focused physiotherapy in a group setting for children with cerebral palsy. *BMC Pediatrics*, 10: 26.
- Stewart, M. et al. (2011). Brief report: An online support intervention: Perceptions of adolescents with physical disabilities. *Journal of Adolescence*, Vol. 34(4): 795-800.
- St-Jacques, J. et al. (2010). Is virtual reality effective to motivate and raise interest in phobic children toward therapy? A clinical trial study of in vivo with in virtuo versus in vivo only treatment exposure. *Journal of Clinical Psychiatry*, Vol. 71(7): 924-931.
- Sutcliffe, A. G., & Derom, C. (2006). Follow-up of twins: Health, behaviour, speech, language outcomes and implications for parents. *Early Human Development*, Vol. 82(6): 379- 386.
- Tan, S. S. et al. (2014). Developmental trajectories of social participation in individuals with cerebral palsy: A multicentre longitudinal study. *Developmental Medicine & Child Neurology*, Vol. 56(4): 370-377.
- Teachman, G., & Gibson, B. E. (2013). Children and youth with disabilities: Innovative methods for single qualitative interviews. *Qualitative Health Research*, Vol. 23(2): 264-274.
- Thorley, M. et al. (2012). Evaluation of the effects of botulinum toxin A injections when used to improve ease of care and comfort in children with cerebral palsy whom are non-ambulant: A double blind randomized controlled trial. *BMC Pediatrics*, Vol. 12(1): 120.
- Tseng, M., Chen et al. (2011). The determinants of daily function in children with cerebral palsy. *Research in Developmental Disabilities*, Vol. 32(1): 235-245.
- Tuersley-Dixon, L., & Frederickson, N. (2010). Conductive education: Appraising the evidence. *Educational Psychology in Practice*, Vol. 26(4): 353-373.
- Van Gils, A. et al. (2014). Family disruption increases functional somatic symptoms in late adolescence: The TRAILS study. *Health Psychology*, Vol. 33(11): 1354-1361.
- Van Ravesteyn, N. T. et al. (2010). Measuring mobility limitations in children with cerebral palsy: Content and construct validity of a mobility questionnaire (MobQues). *Developmental Medicine & Child Neurology*, Vol. 52(10): 229-235.

- Vargus-Adams, J. N., & Martin, L. K. (2011). Domains of importance for parents, medical professionals youth with cerebral palsy considering treatment outcomes. *Child: Care, Health and Development*, Vol. 37(2): 276-281.
- Veness, C., & Reilly, S. (2008). Mealtime interaction patterns between young children with cerebral palsy and their mothers: Characteristics and relationship to feeding impairment. *Child: Care, Health and Development*, Vol. 34(6): 815-824.
- Wallen, M. et al. (2007). Functional outcomes of intramuscular botulinum toxin type a and occupational therapy in the upper limbs of children with cerebral palsy: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, Vol. 88(1): 1-10.
- Wallen, M. A. et al. (2004). Functional outcomes of intramuscular botulinum toxin type A in the upper limbs of children with cerebral palsy: A phase II trial. *Archives of Physical Medicine and Rehabilitation*, Vol. 85(2): 192-200.
- Wallen, M. A., & Ziviani, J. M. (2012). Canadian occupational performance measure: Innpact of blinded parent-proxy ratings on outcome. *Canadian Journal of Occupational Therapy / Revue Canadienne D'Ergothérapie*, Vol. 79(1): 7-14.
- Wallen, M., & Majnemer, A. (2014). No differences were observed between six months of context- versus child-focussed intervention for young children with cerebral palsy on self-care, mobility, range-of-motion or participation. *Australian Occupational Therapy Journal*, Vol. 61(2): 126-127.
- Wallen, M. et al. (2011). Modified constraint-induced therapy for children with hemiplegic cerebral palsy: A randomized trial. *Developmental Medicine & Child Neurology*, Vol. 53(12): 1091-1099.
- Wallen, M. et al. (2012). 'Caution is warranted in interpreting data from a recent trial of modified constraint-induced therapy': Wallen et al. reply. *Developmental Medicine & Child Neurology*, Vol. 54(5): 479-480.
- Waters, E. et al. (2005). Development of a condition-specific measure of quality of life for children with cerebral palsy: Empirical thematic data reported by parents and children. *Child: Care, Health & Development*, Vol. 31(2): 127-135.
- Whitehead, T. et al. (2009). Is house-dust nicotine a good surrogate for household smoking? *American Journal of Epidemiology*, Vol. 169(9): 1113-1123.
- Wiegerink, D. J. H. G. et al. (2006). Social and sexual relationships of adolescents and young adults with cerebral palsy: A review. *Clinical Rehabilitation*, Vol. 20(12): 1023-1031.
- Wohlfeiler, M. M. et al. (2008). Paternal correlates of cognitive and behavioral functioning in children with myelomeningocele. *Developmental Medicine & Child Neurology*, Vol. 50(11): 864-869.
- Wong, C. et al. (2012). Comparison of the prevalence and impact of health problems of pre-school children with and without cerebral palsy. *Child: Care, Health and Development*, Vol. 38(1): 128-138.
- Wong, H. S. et al. (2014). Evaluation of early childhood social-communication difficulties in children born preterm using the quantitative checklist for autism in toddlers. *The Journal of Pediatrics*, Vol. 164(1): 26-33.
- Wong, L., & MacLennan, A. H. (2011). Gathering the evidence: Cord gases and placental histology for births with low apgar scores. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*, Vol. 51(1): 17-21.

Woolfson, L. M., Taylor, R. J., & Mooney, L. (2011). Parental attributions of controllability as a moderator of the relationship between developmental disability and behaviour problems. *Child: Care, Health and Development*, Vol. 37(2): 184-194.

Wright, P. M. et al. (2004). Exploring the relevance of the personal and social responsibility model in adapted physical activity: A collective case study. *Journal of Teaching in Physical Education*, Vol. 23(1): 71-87.

Young, B. et al. (2006). Decision-making in community- based paediatric physiotherapy: A qualitative study of children, parents and practitioners. *Health & Social Care in the Community*, Vol. 14(2): 116-124.

Ödman, P. E., & Oberg, B. E. (2006). Effectiveness and expectations of intensive training: A comparison between child and youth rehabilitation and conductive education. *Disability and Rehabilitation*, Vol. 28(9): 561-570.

Øien, I. et al. (2010). Goal-setting in paediatric rehabilitation: Perceptions of parents and professional. *Child: Care, Health and Development*, Vol. 36(4): 558- 565.

Østensjø, S. et al. (2008). Goal-oriented rehabilitation of preschoolers with cerebral palsy: A multi-case study of combined use of the canadian occupational performance measure (COPM) and the goal attainment scaling (GAS). *Developmental Neurorehabilitation*, Vol. 11(4): 252-259.

Litteraturliste over anvendt litteratur ved temaets opdatering 2020

- Aguiar, B. V. K. et al. (2007). Seizure impact on school attendance in children with epilepsy. *Seizure*, Vol. 16(8): 698-702.
- Al-Biltagi, M. A. (2014). Childhood epilepsy and sleep. *World Journal of Clinical Pediatrics*, Vol. 3 (3): 45–53.
- Alfstad, K. Å. et al. (2011). Psychiatric symptoms in Norwegian children with epilepsy aged 8-13: Effects of age and gender? *Epilepsia*, Vol. 52(7): 1231-1238.
- Alving, J.K. et al. (2014). *Epilepsi: En basisbog*. Kbh.: FADLs forlag.
- Austin, K. A. & Dunn, D. V. (2008). Academic Achievement. I: Schachter, S.C. et al. (red.), *Behavioral Aspects of Epilepsy: Principles and Practice* (s. 397-402). New York: Demos Medical Publishing.
- Beattie, J. F. et al. (2016). Neuropsychological consequences of sleep disturbance in children with epilepsy. *Epilepsy & Behavior*, Vol. 57(PartA): 118–123.
- Bekendtgørelse af lov om folkeskolen*, LBK nr. 747 af 20/6/2016. Tilgængelig fra <https://www.retsinformation.dk/forms/r0710.aspx?id=182008> [lokaliseret 03-12-2019].
- Bekendtgørelse af lov om social service*, LBK nr. 1284 af 17/11/2015. Tilgængelig fra <https://www.retsinformation.dk/forms/r0710.aspx?id=175036> [lokaliseret 03-12-2019].
- Bekendtgørelse af sundhedsloven*, LBK nr. 1202 af 14/11/2014. Tilgængelig fra <https://www.retsinformation.dk/forms/r0710.aspx?id=152710> [lokaliseret 03-12-2019].
- Berg, A. T. (2011). Epilepsy, cognition, and behavior: The clinical picture. *Epilepsia*, Vol. 52 (Suppl. 1): 7–12.
- Berg, A. T. et al. (2010). Revised terminology and concepts for organization of seizures and epilepsies: Report of the ILAE Commission on Classification and Terminology, 2005-2009. *Epilepsia*, Vol. 51(4), pp. 676-685.
- Berg, A. T. et al. (2014). Complete remission of childhood-onset epilepsy: stability and prediction over two decades. *Brain*, Vol. 137(2): 3213–3222.
- Blocher, J. B. et al. (2013). Computer-assisted cognitive behavioral therapy for children with epilepsy and anxiety: A pilot study. *Epilepsy & Behavior*, Vol. 27 (1): 70-76.
- Brorholt, G. et al. (2016). *Evaluering af samarbejdsmodel omkring børn med handicappet cerebral parese: Barnet i Centrum – Familien i Fokus: Evaluering af samarbejdsmodel*. Kbh.: Kora.
- Brouwer, O. F. (2013). Mortality in children with epilepsy. I: Arts, W. F. et al. (red.), *Outcome of Childhood Epilepsies* (s. 61-70). Montrouge, Frankrig: John Libbey Eurotext.
- Camfield, P. & Camfield, C. (2015). Incidence, prevalence and aetiology of seizures and epilepsy in children. *Epileptic Disorders*, Vol. 17(2): 117-123.
- Carbone, L. et al. (2014). Improving the mental health of adolescents with epilepsy through a group cognitive behavioral therapy program. *Epilepsy & Behavior*, Vol. 39: 130-134.
- Chapieski, L. et al. (2005). Adaptive functioning in children with seizures: Impact of maternal anxiety about epilepsy. *Epilepsy and Behavior*, Vol. 7(2): 246-252.

- Christensen, J. et al. (2007). Incidence and prevalence of epilepsy in Denmark. *Epilepsy Research*, Vol. 76 (1): 60-65.
- Conway, L. et al. (2016). Correlates of health-related quality of life in children with drug resistant epilepsy. *Epilepsia*, Vol. 57(8): 1256-1264.
- Danmarks Statistik (2019). *Statistikbanken.dk*. Kbh.: Danmarks Statistik. Tilgået 12-12-2019.
- Dansk Epilepsiforening (2008). *Levevilkår for børn med epilepsi: Medlemsundersøgelse*. Odense: Dansk Epilepsiforening.
- Danske Patienter (2016, 20. juni). *Børn med syge søskende oplever stress, angst og depression*. Danske Patienter. Tilgængelig fra <https://danskepatienter.dk/politik/nyhedsarkiv/boern-med-syge-soeskende-oplever-stress-angst-og-depression> [lokaliseret 7. juli 2016].
- Duffy, L. (2011). Parental Coping and Childhood epilepsy: The Need for Future Research. *Journal of Neuroscience Nursing*, Vol. 43(1): 29-35.
- Eddy, C. M. et al. (2010). Quality of life in young people with treatment-responsive epilepsy: A controlled study. *Epilepsy and Behavior*, Vol. 19(4): 623-626.
- Ferro, M. A. & Speechley, K. N. (2009). Depressive symptoms among mothers of children with epilepsy: A review of prevalence, associated factors and impact on children. *Epilepsia*, Vol. 50(11): 2344-2354.
- Ferro, M. A. (2014). Risk factors for health-related quality of life in children with epilepsy: A meta-analysis. *Epilepsia*, Vol. 55(11): 1722-1731.
- Ferro, M. A. et al. (2013). Trajectories of health-related quality of life in children with epilepsy: A cohort study. *Epilepsia*, Vol 54 (11): 1889-1897.
- Fleeman, N. et al. (2015). Care delivery and self-management strategies for children with epilepsy. *The Cochrane Database of Systematic Reviews*, Vol. 23(12): CD006245.
- Funderburk, J. A. et al. (2007). Does attitude toward epilepsy mediate the relationship between perceived stigma and mental health outcomes in children with epilepsy. *Epilepsy and Behavior*, Vol. 11(1): 71-76.
- Geerts, A. et al. (2010). Course and outcome of childhood epilepsy: a 15-year follow-up of the Dutch Study of Epilepsy in Childhood. *Epilepsia*, Vol. 51 (7): 1189-97.
- Geerts, A. T. (2013). Health perception and socio-economic status of childhood onset epilepsy. I: Arts, W. F. et al. (red.), *Outcome of Childhood Epilepsies* (s. 237-252). Montrouge, Frankrig: John Libbey Eurotext.
- Giust, J. & Dunn, D. W. (2013). Anxiety and depression in children with epilepsy. I: Arts, W. et al. (Red.), *Outcome of Childhood Epilepsies* (s. 225-236). Montrouge, France: John Libbey Eurotext.
- Goffman, E. (2014). *Stigma: Om afvigerens sociale identitet* (2. udg.). Frederiksberg: Samfundslitteratur.
- Goodwin, S.W. et al. (2017). Emotional well-being in children with epilepsy: Family factors as mediators and moderators. *Epilepsia*, Vol. 58 (11): 1912-1919.
- Grigg-Damberger, M. M. & Foldvary-Schaefer, N. (2012). Primary Sleep Disorders in people with Epilepsy: What we know, don't know and need to know. *Sleep Medicine Clinics*, Vol. 7 (1): 75-89.

- Hames, A. & Appleton, R. (2009). Living with a brother or sister with epilepsy: Siblings' experiences. *Seizure*, Vol. 18(10): 699-701.
- Hartling, L. et al (2010). A systematic review of interventions to support siblings of children with chronic illness or disability. *Journal of Pediatrics and Child Health*, Vol. 50(10): E26-E38.
- Helene Elsass Center (2015). *Barnet i Centrum - Familien i Fokus: Et kvalitets- og udviklingsprojekt*. Charlottenlund: Helene Elsass Center.
- Henning, O. & Nakken, K. O. (2017). Ny epilepsiklassifikasjon. *Tidsskriftet Den Norske Legeforening*, Vol. 137(23-24).
- Hjalgrim, H. & Juul, K. (2014). *Epilepsisyndromer*. Kbh.: Socialstyrelsen.
- Ho, A. & Farrel, K. (2007). Family Factors and Psychopathology in Children with Epilepsy. I: Schachter, S. et al. (Red.), *Behavioral Aspects of Epilepsy. Principles and Practice*. New York: Demos.
- Hunter, R.M. et al. (2015). The health, education, and social care costs of school-aged children with active epilepsy: A population-based study. *Epilepsia*, Vol. 56(7):1056-64.
- Institute of Medicine (2012). *Epilepsy across the Spectrum: Promoting Health and Understanding*. Institute of Medicine of the National Academies. Washington, D.C.: National Academies Press.
- Iseri, P. K. et al. (2006). Posttraumatic stress disorder and major depressive disorder is common in parents of children with epilepsy. *Epilepsy and Behavior*, Vol. 8(1): 250-255.
- Jacoby, A. & Austin, Joan, K. (2007). Social stigma for adults and children with epilepsy. *Epilepsia*, Vol. 48(Suppl.9): 6-9.
- Jennum, P. et al. (2011). The social and economic consequences of epilepsy: A controlled national study. *Epilepsia*, Vol. 52 (5): 949-56.
- Jennum, P. et al. (2012). The socioeconomic consequences of optic neuritis with and without multiple sclerosis: A controlled national study. *Acta Neurologica Scandinavica*, Vol. 127(4):242-250.
- Jennum, P. et al. (2013). Morbidity and mortality in children with obstructive sleep apnoea: a controlled national study. *Thorax*, Vol. 68(10): 949-954.
- Jennum, P. et al. (2016). Long-term socioeconomic consequences and health care costs of childhood and adolescent-onset epilepsy. *Epilepsia*, Vol. 57(7):1078-1085.
- Jennum, P. et al. (2016). Socioeconomic evaluation of vagus stimulation: A controlled national study. *Seizure*, Vol. 42: 15-19.
- Jennum, P. et al. (2016). Socioeconomic outcome of epilepsy surgery: A controlled national study. *Seizure*, Vol. 42: 52-56.
- Jennum, P. et al. (2016). Welfare cost of childhood- and adolescent-onset epilepsy: A controlled national study. *Epilepsy and Behavior*, Vol. 61: 72-77.
- Jennum, P. et al. (2017). Morbidity and mortality of childhood and adolescent onset epilepsy: A controlled national study. *Epilepsy & Behavior*, Vol. 66: 80-85.
- Jensen, F. E. (2011). Epilepsy as a spectrum disorder: Implications from novel clinical and basic neuroscience. *Epilepsia*, Vol. 52 (Suppl. 1): 1-6.
- Jones, C. & Reilly, C. (2016). Parental anxiety in childhood epilepsy: A systematic review. *Epilepsia*, Vol. 57(4): 529-537.

- Jones, J. E. (2014). Treating anxiety disorders in children and adolescents with epilepsy. *Epilepsy & Behavior*, Vol. 39: 137-142.
- Jones, J. E. et al. (2014). Social anxiety and self-concept in children with epilepsy: A pilot intervention study. *Seizure*, Vol. 23(9): 780-785.
- Juul, K. & Atkins, M. (2016). Kognitive forstyrrelser undervurderes ved benign epilepsi with centro-temporal spikes. Statusartikel. *Ugeskrift for Læger*, Vol. 178: V04160249.
- Larson, A. M. et al. (2012). Impact of pediatric epilepsy on sleep patterns and behaviors in children and parents. *Epilepsia*, Vol. 53 (7): 1162-1169.
- Leth, I. & Esbjørn, B. H. (2012). *Angst hos børn: Kognitiv terapi i teori og praksis: En håndbog for professionelle*. Kbh.: Dansk Psykologisk forlag.
- Martinovic, Z. et al. (2006). Preventing depression in adolescents with epilepsy. *Epilepsy & Behavior*, Vol. 9 (4): 619-624.
- McLaughlin, Deidre P. (2011). Quality of Life in Epilepsy. I: Pinikahana, J. & Walker, C., *Society, behavior and epilepsy*. Pinikahana, J & C Walker editors. Nova Science Publishers.
- Modi, A. et al. (2016). A Pilot Randomized Controlled Clinical Trial to Improve Antiepileptic Drug Adherence in Young Children with Epilepsy. *Epilepsia*, Vol. 57(3): e69-e75.
- Nakken, K.O. (2019). *Epilepsi*. Oslo: Cappelen Damm Akademisk Forlag.
- Nickels, K. et al. (2012). Epilepsy-related mortality is low in children: A 30-year population-based study in Olmsted County, MN. *Epilepsia*, Vol. 53(12): 2164-2171.
- Nielsen, N. M. et al. (2016). Long-term socio-economic consequences and health care costs of poliomyelitis: a historical cohort study involving 3606 polio patients. *Journal of Neurology*, Vol. 263(6):1120-1128.
- Niemenen, P. & Eriksson, K. J. (2008). Learning and behavior: Neurocognitive Functions in Children. I: Schachter, S.C. et al. (red.), *Behavioral Aspects of Epilepsy: Principles and Practice* (s. 371-376). New York: Demos Medical Publishing.
- Rodenburg, R. et al. (2005). Psychopathology in Children with Epilepsy: A Meta-Analysis. *Journal of Pediatric Psychology*, Vol. 30(6): 453-468.
- Rodenburg, R. et al. (2007). Parent of children with enduring epilepsy: Predictors of parenting stress and parenting. *Epilepsy and Behavior*, Vol. 11(2): 197-207.
- Roux, G. et al. (2013). A randomized controlled trial of Group Stepping Stones Triple P: A mixed-disability trial. *Family Process*, Vol. 52(3): 411-424.
- Russ, S. A. et al. (2012). A National Profile of Childhood Epilepsy and Seizure Disorder. *Pediatrics*, Vol. 129(2): 256-264.
- Scheffer, I. E. et al. (2017). ILAE classification of the epilepsies: Position paper of the ILAE Commission for Classification and Terminology. *Epilepsia*, Vol. 58(4): 512-521.
- Schulze-Bonhage, A. & Kühn, A. (2008). Unpredictability of Seizures and the Burden of Epilepsy. I: Schelter, B. et al. (red.), *Seizure Prediction in Epilepsy: From Basic Mechanisms to Clinical Applications* (1-10). Weinheim: Wiley-VCH Verlag.
- Shaki, D. B. et al. (2011). Pediatric Epilepsy and Parental Sleep Quality. *Journal of Clinical Sleep Medicine*, Vol. 7 (5): 502-506.
- Socialstyrelsen (2013). *Forældre til et barn med fysisk eller psykisk handicap: Guide til hjælp og støtte*. Odense: Socialstyrelsen.

Socialstyrelsen (2019, 2. juli). *Udbredelse af Stepping Stones – til forældre, der har et barn med handicap*. Socialstyrelsen. Tilgængelig fra <https://socialstyrelsen.dk/projekter-og-initiativer/handicap/udbredelse-af-stepping-stones> [lokaliseret 08-01-2020].

Sofronoff, K. et al. (2011). Stepping Stones Triple P seminars for parents of a child with a disability: A randomized controlled trial. *Research in Developmental Disabilities*, Vol. 32(6): 2253-2262.

Spijkers, W. et al. (2013). Effectiveness of Primary Care Triple P on child psychosocial problems in preventive child healthcare: A randomized controlled trial. *BMC Medicine*, Vol. 11(1): 240.

Stallard, P. (2006). *Gode tanker - gode følelser: Kognitiv adfærdsterapi: Arbejdsbog for børn og unge*. Kbh.: Dansk Psykologisk Forlag.

Stallard, P. (2007). *Vejledning til Gode tanker - gode følelser: Kognitiv adfærdsterapi med børn og unge*. Kbh.: Dansk Psykologisk Forlag.

Sundhedsstyrelsen (2015). *National klinisk retningslinje for udredning og behandling af epilepsi hos børn og unge*. Kbh.: Sundhedsstyrelsen.

Sundhedsstyrelsen (2018). *Eftersyn af indsatsen til mennesker med epilepsi: Forslag til indsatsområder*. Kbh.: Sundhedsstyrelsen.

Sundhedsstyrelsen (2019). *Specialevejledning for pædiatri*. Kbh.: Sundhedsstyrelsen.

Syvrtsen, M. et al. (2015). Prevalence and incidence of epilepsy in the Nordic countries. *Tidsskrift for den Norske Lægeforening*, Vol. 135(18): 1641–1645.

Tellegen, C. L. & Sanders, M. R. (2013). Stepping Stones Triple P-Positive Parenting Program for children with disability: A systematic review and meta-analysis. *Research in Developmental Disabilities*, Vol. 34(5): 1556-1571.

Triple P International (2017). *Enhanced Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (2017). *Family Transitions Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (2017). *Group Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (2017). *Primary care Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (2017). *Selected Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (2017). *Standard Stepping Stones Triple P*. Brisbane, Australia: Triple P International Pty Ltd.

Triple P International (u.å.). *For every parent*. Triple P International. Tilgængelig fra <https://www.triplep.net/glo-en/the-triple-p-system-at-work/flexible-delivery/for-every-parent/> [lokaliseret 04-03-2020].

Triple P International (u.å.). *How the levels work for you*. Triple P International. Tilgængelig fra <https://www.triplep.net/glo-en/the-triple-p-system-at-work/flexible-delivery/how-the-levels-work-for-you/> [lokaliseret 04-03-2020].

- Triple P International (u.å.). *LEVEL 1*. Triple P. Tilgængelig fra <https://www.triplep.net/global/the-triple-p-system-at-work/the-system-explained/level-1/> [lokaliseret 08-01-2020].
- Triple P UK (2015). *Triple P: Positive Parenting Program: Stepping Stones* Triple P. UK: Triple P UK Ltd.
- Tsuchie, S. Y. et al. (2006). What about us? Siblings of children with epilepsy. *Seizure*, Vol. 15(8): 610-614.
- Uldall, P. et al. (2006). The misdiagnosis of epilepsy in children admitted to a tertiary epilepsy centre with paroxysmal events. *Archives of Disease in Childhood*, Vol. 91(3): 219-221.
- VIVE (2018). *Mestring blandt forældre til børn med handicap: Evaluering af effekt, økonomi og implementering af mestringsprogrammet*. Kbh.: VIVE.
- Wagner, J. L. (2015). Quality of life in pediatric epilepsy: Considerations for measurement and use. *Neurology*, Vol. 84(18): 1826-1827.
- World Health Organization (2019). *Epilepsy: A public health imperative*. Geneve: World Health Organization.
- Wu, Y. P. et al. (2014). Parent and family stress factors predict health related quality in pediatric patients with new-onset epilepsy. *Epilepsia*, Vol. 55(6): 866-877.
- Aaberg, K. M. et al. (2016). Comorbidity and Childhood Epilepsy: A Nationwide Registry Study. *Pediatrics*, Vol. 138(3).



Socialstyrelsen

Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf.: 72 42 37 00

www.socialstyrelsen.dk